




Product overview  
2006

hwam

The A and B dimensions show the height above the floor of the chimney connection to the HWAM smoke pipe, behind and on top of the stove respectively.



\*Floor\*\*= the lower edge of the stove.

# Technical specifications

**automatic™** As the only products on the market, all wood-burning stoves from HWAM Heat Design AS are born with the patented HWAM Automatic system. It is important that your stove is installed in compliance with the Building Regulations and local building stipulations.




We therefore recommend that you let your local HWAM distributor handle delivery and installation. If you wish to do it yourself you can obtain help and advice from your local HWAM distributor or at [www.hwam.com](http://www.hwam.com).

All models are available in black and grey. HWAM I 20/80 is only available in black.





## HWAM 4410

Capacity in kW	3–9 kW
Nominal effect	6 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–170 m <sup>2</sup>
Weight	150 kg
Connection from the floor* (A)	55,2 cm
Connection from the floor* (B)	143,0 cm



## HWAM 3320




Capacity in kW	3–8 kW
Nominal effect	5 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–130 m <sup>2</sup>
Weight	95 kg
Connection from the floor* (A)	59,1 cm
Connection from the floor* (B)	115,55 cm



## HWAM 3320




mounted on a plinth

Capacity in kW	3–8 kW
Nominal effect	5 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–130 m <sup>2</sup>
Weight	110 kg
Connection from the floor (A)	83,3 cm
Connection from the floor (B)	139,7 cm



## HWAM 3310



Capacity in kW	3–8 kW
Nominal effect	5 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–130 m <sup>2</sup>
Weight	92 kg
Connection from the floor* (A)	59,1 cm
Connection from the floor* (B)	115,55 cm



## HWAM 3310

mounted on a plinth



Capacity in kW	3–8 kW
Nominal effect	5 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–130 m <sup>2</sup>
Weight	107 kg
Connection from the floor (A)	83,3 cm
Connection from the floor (B)	139,7 cm








## HWAM WALL

Capacity in kW	3–8 kW
Nominal effect	5 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–150 m <sup>2</sup>
Weight	178 kg
Connection from the floor (A)	100,5 cm
Connection from the floor (B)	173,0 cm



## HWAM Figaro




Capacity in kW	3–9 kW
Nominal effect	6 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–170 m <sup>2</sup>
Weight	133 kg
Connection from the floor (B)	152,25 cm



## HWAM Monet

with wood section




Capacity in kW	3–8 kW
Nominal effect	6 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–150 m <sup>2</sup>
Weight	147 kg
Connection from the floor (A)	97,7 cm
Connection from the floor (B)	169,8 cm



## HWAM Monet

with wood section and soapstone



Capacity in kW	3–8 kW
Nominal effect	6 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–150 m <sup>2</sup>
Weight	245 kg
Connection from the floor (A)	97,7 cm
Connection from the floor (B)	169,8 cm



## HWAM Monet H

with wood section




Capacity in kW	3–8 kW
Nominal effect	6 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–150 m <sup>2</sup>
Weight	177 kg
Connection from the floor (A)	124,2 cm
Connection from the floor (B)	196,3 cm



## HWAM Monet H

with wood section and baking section door




Capacity in kW	3–8 kW
Nominal effect	6 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–150 m <sup>2</sup>
Weight	178 kg
Connection from the floor (A)	124,2 cm
Connection from the floor (B)	196,3 cm





## HWAM Monet




Capacity in kW	3–8 kW
Nominal effect	6 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–150 m <sup>2</sup>
Weight	150 kg
Connection from the floor (A)	97,7 cm
Connection from the floor (B)	169,8 cm



## HWAM Monet




with tiles

Capacity in kW	3–8 kW
Nominal effect	6 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–150 m <sup>2</sup>
Weight	177 kg
Connection from the floor (A)	97,7 cm
Connection from the floor (B)	169,8 cm



## HWAM Monet H




Capacity in kW	3–8 kW
Nominal effect	6 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–150 m <sup>2</sup>
Weight	180 kg
Connection from the floor (A)	124,2 cm
Connection from the floor (B)	196,3 cm



## HWAM Monet H



with soapstone and baking section door

Capacity in kW	3–8 kW
Nominal effect	6 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–150 m <sup>2</sup>
Weight	295 kg
Connection from the floor (A)	124,2 cm
Connection from the floor (B)	196,3 cm






## HWAM Dali

Capacity in kW	3–8 kW
Nominal effect	6 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–150 m <sup>2</sup>
Weight	156 kg
Connection from the floor (A)	97,7 cm
Connection from the floor (B)	183,5 cm



## HWAM Beethoven

Capacity in kW	2–6 kW
Nominal effect	4,5 kW
Smoke outlet	Ø 150 mm
Heating capacity	20–120 m <sup>2</sup>
Weight	95 kg
Connection from the floor (A)	74,4 cm
Connection from the floor (B)	146,8 cm








## HWAM Beethoven

with soapstone and plinth




Capacity in kW	2-6 kW
Nominal effect	4,5 kW
Smoke outlet	Ø 150 mm
Heating capacity	20-120 m <sup>2</sup>
Weight	205 kg
Connection from the floor (A)	83,4 cm
Connection from the floor (B)	155,8 cm



## HWAM Beethoven H

with wood section




Capacity in kW	2-6 kW
Nominal effect	4,5 kW
Smoke outlet	Ø 150 mm
Heating capacity	20-120 m <sup>2</sup>
Weight	112 kg
Connection from the floor (A)	102,9 cm
Connection from the floor (B)	175,3 cm



## HWAM Beethoven H

with wood section



Capacity in kW	2-6 kW
Nominal effect	4,5 kW
Smoke outlet	Ø 150 mm
Heating capacity	20-120 m <sup>2</sup>
Weight	116 kg
Connection from the floor (A)	102,9 cm
Connection from the floor (B)	175,3 cm



## HWAM Beethoven H

with soapstone and plinth



Capacity in kW	2-6 kW
Nominal effect	4,5 kW
Smoke outlet	Ø 150 mm
Heating capacity	20-120 m <sup>2</sup>
Weight	275 kg
Connection from the floor (A)	111,9 cm
Connection from the floor (B)	175,3 cm



## HWAM Ravel

with granite top plates



Capacity in kW	2-6 kW
Nominal effect	4,5 kW
Smoke outlet	Ø 150 mm
Heating capacity	20-120 m <sup>2</sup>
Weight	108 kg
Connection from the floor (A)	94,1 cm
Connection from the floor (B)	163,7 cm



## HWAM Vivaldi

with granite top plates

Capacity in kW	2-6 kW
Nominal effect	4,5 kW
Smoke outlet	Ø 150 mm
Heating capacity	20-120 m <sup>2</sup>
Weight	78 kg
Connection from the floor (A)	64,7 cm
Connection from the floor (B)	137,1 cm







## HWAM Vivaldi

with soapstone top



Capacity in kW	2–6 kW
Nominal effect	4,5 kW
Smoke outlet	Ø 150 mm
Heating capacity	20–120 m <sup>2</sup>
Weight	93 kg
Connection from the floor (A)	64,7 cm
Connection from the floor (B)	137,1 cm



## HWAM Mozart

with wood section




Capacity in kW	2–6 kW
Nominal effect	4,5 kW
Smoke outlet	Ø 150 mm
Heating capacity	20–120 m <sup>2</sup>
Weight	85 kg
Connection from the floor (A)	85,5 cm
Connection from the floor (B)	157,9 cm



## HWAM Mozart




with soapstone top

Capacity in kW	2–6 kW
Nominal effect	4,5 kW
Smoke outlet	Ø 150 mm
Heating capacity	20–120 m <sup>2</sup>
Weight	111 kg
Connection from the floor (A)	85,5 cm
Connection from the floor (B)	157,9 cm



## HWAM Classic 4




Capacity in kW	3–8 kW
Nominal effect	6 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–150 m <sup>2</sup>
Weight	108 kg
Connection from the floor (A)	59,6 cm
Connection from the floor (B)	131,0 cm



## HWAM Classic 4




with oven and wood section

Capacity in kW	3–8 kW
Nominal effect	6 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–150 m <sup>2</sup>
Weight	190 kg
Connection from the floor (B)	192,8 cm



## HWAM Classic 7H


Capacity in kW	8–14 kW
Nominal effect	12 kW
Smoke outlet	Ø 180 mm
Heating capacity	30–190 m <sup>2</sup>
Weight	184 kg
Connection from the floor (A)	106,3 cm
Connection from the floor (B)	177,4 cm






## HWAM I 20/80

Capacity in kW	3–9 kW
Nominal effect	6 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–170 m <sup>2</sup>
Weight	98 kg




## HWAM Classic I0/50

Capacity in kW	3–8 kW
Nominal effect	6 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–150 m <sup>2</sup>
Weight	89 kg



## HWAM Classic I0/60


Capacity in kW	4–9 kW
Nominal effect	8 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–170 m <sup>2</sup>
Weight	102 kg



## HWAM Elements

wood pellets – convection/water tank


Capacity in kW	4–10 kW
Nominal effect	8 kW
Smoke outlet	Ø 150 mm
Heating capacity	40–160 m <sup>2</sup>
Weight	210 kg
Connection from the floor (B)	177 cm



## HWAM Monet


with water tank

Capacity in kW	4–10 kW
Nominal effect	8 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–150 m <sup>2</sup>
Weight	151 kg
Connection from the floor (B)	169.8 cm




## HWAM Figaro Gas

Capacity in kW	4–9 kW
Nominal effect	7 kW
Smoke outlet	Ø 150 mm
Heating capacity	30–170 m <sup>2</sup>
Weight	75 kg
Connection from the floor (B)	141 cm



Distance to inflammable materials	1. Back cm, min.	2. Sides cm, min.	3. Distance to furnishing in front cm, min.
HWAM 3310, HWAM 3320	15	25	80
HWAM WALL	5	30	80
HWAM Figaro	15	40	90
HWAM Monet, HWAM Monet H, HWAM Dali	15	30	70
HWAM Beethoven, HWAM Beethoven H	15	35	70
HWAM Ravel, HWAM Vivaldi, HWAM Mozart	15	35	70
HWAM Classic 4	25	25	70
HWAM Classic 7H	25	25	80
HWAM I 20/80	–	–	90 (recommended measure)
HWAM Classic 10/50	–	–	80 (recommended measure)
HWAM Classic 10/60	40	40	110
HWAM Elements	10	10	–
HWAM Monet with watertank	20	45	90
HWAM Figaro Gas	15	15	15
HWAM Vivaldi Gas	30	30	30




Distance to inflammable materials corner siting	1. To inflammable wall cm, min.
HWAM 3310, HWAM 3320	15
HWAM Figaro	10
HWAM Monet, HWAM Monet H, HWAM Dali	10
HWAM Beethoven, HWAM Beethoven H	15
HWAM Ravel, HWAM Vivaldi, HWAM Mozart	15
HWAM Classic 4	25
HWAM Classic 7H	30
HWAM Elements	10
HWAM Monet with watertank	25
HWAM Figaro Gas	15
HWAM Vivaldi Gas	30


**Important!**

All measures for corner location are only intended as a guide.


Please contact your chimney sweeper for final clarification.




HWAM 3310  
HWAM 3320




HWAM Figaro  
HWAM Figaro Gas




HWAM Monet  
HWAM Monet H  
HWAM Monet  
with watertank  
HWAM Dali




HWAM Beethoven  
HWAM Beethoven H




HWAM Ravel




HWAM Vivaldi  
HWAM Vivaldi Gas  
HWAM Mozart




HWAM Classic 4



HWAM Classic 7H



HWAM Elements



**HWAM**

Nydamsvej 53 • DK-8362 Hørning • heatdesign@hwam.com • www.hwam.com

HWAM Heat Design is a company that develops constantly, due to which there may occur changes in the product specifications found in this catalogue. With reservations for misprints.