



Electric | Fires & Stoves

A WARM WELCOME

It's never been so easy to get the warm inviting atmosphere of a real flame fire with all the convenience, versatility and efficiency of electricity.

Using the latest Flame-Effect Technology, Gazco has created a beautiful range of fires and stoves that provide a versatile and stunning focal point for any home – and all without the need for a chimney!

Whether you want to achieve a modern, contemporary look or a more classic, traditional interior, this brochure will help you make the perfect choice, whatever your style or budget.



Fire Your Imagination







THE GAZCO PEDIGREE



When you choose Gazco, quality and technology are assured. From contemporary hang on the wall fires to traditional stoves, Gazco are committed to creating the ultimate in realistic electric flame effects.

Our research and development laboratories are amongst the most advanced in the industry, ensuring that the very latest innovations are incorporated into our products.

Gazco is part of the Stovax Group who offer a prestigious product range which includes everything from traditional to the ultra-contemporary in a wide array of styles and sizes, so whether your choice is solid fuel, gas, or electric you can be sure to find a stove or fireplace from our range to add the perfect warmth and character to your home. Both Gazco and Stovax offer solid fuel and gas versions of several of the fires and stoves in this brochure. Full details of the Stovax Group's range of products can be found at **www.stovax.com**

Gazco is an ISO9001 accredited company. Our rigorous quality control system ensures that all our appliances comply with British Safety Standards as well as stringent European regulations. All fires and stoves in the brochure are CE marked. This means they have been independently tested to exacting European standards.



Warranty Information

Your Gazco retailer will provide you with a Two Year Extended Warranty for your new electric stove or fire, providing it is registered with Gazco. Please note, this warranty excludes certain consumable parts. Stoves and Fires purchased outside of Gazco's Expert Retailer Network will carry a standard One Year Warranty. Full warranty details, terms and conditions are available at **www.gazco.com**.



EXPERT RETAILER NETWORK

We take great care to ensure that our stoves and fires are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you will enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements both technical (such as sizing the heat output to your room) and design, to ensure that you select the most appropriate product for your home. They will also be able to advise on, or assist with, the installation process as well as help provide any after-sales support and servicing your appliance may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from purchasing the product only online and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Furthermore, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

In addition, Gazco fires and stoves purchased from within our Expert Retailer Network will have the additional benefit of an extended warranty period, subject to terms and conditions. Full details can be found at **www.gazco.com**.







WALL MOUNTED FIRES



STUDIO FIRES

Studio Electric Sizes	6 - 7
Studio Electric Glass	8 - 9
Studio Electric Verve	10 - 11
Studio Verve Colour Options	12 - 13
Studio Electric E-Motiv	14 - 15
Studio Electric Evolve	16 - 17



RIVA2 670 FIRES

Riva2 670 Electric Designio2 Glass	18 -	19
Riva2 670 Electric Designio2 Steel	20 -	21
Riva2 670 Electric Evoke Glass	22 -	23
Riva2 670 Electric Evoke Steel	24 -	25
Riva2 670 Electric Verve	26 -	27
Riva2 670 Electric Verve XS	28 -	29

STOVES

INSET FIRES

INSET FIRES

Electric Inset Fire Sizes	.30 - 31
Studio Electric Inset	.32 - 33
Riva2 Electric Inset	.34 - 35
Riva2 Stone Mantels	.36 - 37

16" FIRES



LOGIC2 FIRES

Logic2 Electric Fires	.38 - 39
Logic2 Electric Arts	.40 - 41
Logic2 Electric Chartwell	.42 - 43
Logic2 Electric Wave	.44 - 45
Logic2 Electric Progress	.46 - 47



TRADITIONAL & CONTEMPORARY STOVES

Marlborough Electric	.48	- 49
Stockton Electric	.50 ·	- 51
Huntingdon Electric	.52 ·	- 53
Steel Manhattan Electric	.54 ·	- 55
Vision Electric	.56 -	- 57



VERIFLAME[™] TECHNOLOGY

Gazco's VeriFlame[™] Technology enables you to switch between heat settings and even adjust the brightness of the flames to create the atmosphere you desire with the remote control.

105

INSET & WALL MOUNTED



STUDIO ELECTRIC SIZES

The outstanding Studio Electric range is available in a choice of four sizes including a portrait option. With their simple 'hang on the wall' installation and a choice of contemporary styles, these advanced technology electric fires can add stylish warmth to almost any room in your home with the ultimate ease. All Studio Electric fires benefit from remote operation and feature an additional thermostatic control.

Studio 1

The highly efficient Studio 1 is the most compact landscape model in the range, making it the perfect choice for adding a dramatic focal point in a smaller interior. As with all Gazco Electric fires, you can tailor the atmosphere to suit your mood or occasion. The Studio 1 lets you vary the heat output between 0.9kW or 1.8kW, as well as allowing you to enjoy the flame effect without the heat at all.

Studio 2

For effortless style and maximum impact, opt for a Studio 2 Electric fire. The larger dimensions make an eye-catching focal point and accentuate the highly realistic LED flame effect. The Studio's remote provides complete control over the heat and flame settings from your fingertips. With a variable heat output between 0.9kW or 1.8kW, and the option of the flame effect by itself without the heat, the Studio 2 offers complete versatility for your home.

Studio 3

The largest fire in the range the Studio 3 offers not only a truly panoramic view of the highly realistic LED flame effect but also provides you with a maximum heat output of 1.8kW. The larger dimensions make the Studio 3 particulary suited to living spaces of more substantial proportions. Additionally, during the warmer months, you can enjoy the enticing flame effect without the heat.

Studio 22

The Studio 22 adds instant presence and vertical definition to any modern interior. With its unusual yet highly attractive portrait form, a Studio 22 Electric is perfect for the contemporary living room but equally capable of making a designer statement in the study or office. On milder evenings, just sit back and enjoy the flickering flames without the heat or bring some cosy warmth to your room with a variable 0.45kW - 0.90kW heat output.



Studio Electric sizes shown with Verve frame

Studio 1



Studio 2





Studio 3

Studio 22

STUDIO ELECTRIC GLASS



Sleek, chic and contemporary, the Studio Electric Glass offers a distinctive focal point that complements any interior. Available in four sizes, this striking frame offers instant impact, whatever your room size.

Easy to fit, this designer fire can simply be hung on the wall and its shallow depth means it will only protrude minimally into your room.

A stunning flame-effect with 4 levels of brightness is available at the touch of a button on your remote control. You can alter the heat output to suit your requirements, or you can even enjoy the stunning LED flame-effects with no heat at all! Gazco's range of Studio Electric Fires has also been uniquely developed so that the fan operation controls both the heat output and flame-effect simultaneously, offering not only better efficiency, but, also one of the quietest fan-assisted electric fires available.


Finish Choice	Heat Output
Black Glass	Studio 1: 0.9kW - 1.8kW
	Studio 2: 0.9kW - 1.8kW
Efficiency 99%	Studio 3: 0.9kW - 1.8kW
	Studio 22: 0.45kW - 0.9kW
	(or flame effect only)

Frame Dimensions w x h x d (mm)


Studio 1: 1120 x 675 x 118 Studio 2: 1320 x 675 x 118 Studio 3: 1710 x 675 x 118 Studio 22: 675 x 1320 x 118



For more detailed information please see page 58.











Studio Electric 3 Verve in Graphite

STUDIO ELECTRIC VERVE



The stylish Studio Electric Verve has a beautifully curved frame in a choice of four stylish finishes, making a striking designer statement that can be appreciated from all angles. Whether it's a luxurious living room or a stylish study, the hang-on-the-wall Studio Electric Verve is incredibly versatile with three landscape sizes and a portrait option to choose from.

This designer fire heats your room on command from your remote control. With two adjustable heat settings and four flame brightness levels, you can create the perfect atmosphere for every situation. Simply plug in your Studio Electric Verve and instantly enjoy the inviting glow created by our unique LED flame-effect technology.

The Studio Electric Verve comes with a removable White Stone fuel bed effect, giving you even more styling options.

Finish Choice Graphite Metallic Red* Metallic Bronze* Ivory*

Heat Output Studio 1: 0.9kW - 1.8kW Studio 2: 0.9kW - 1.8kW Studio 3: 0.9kW - 1.8kW Studio 22: 0.45kW - 0.9kW (or flame effect only)

Fuel Bed Effect White Stones
 Frame Dimensions w x h x d (mm)

 Studio 1: 1320 x 640 x 155

 Studio 2: 1520 x 640 x 160

 Studio 3: 1900 x 640 x 194

 N

 Studio 22: 676 x 1320 x 156

Remote

| 99%

Efficiency 99%

Also see image on page 6. For more detailed information please see page 58. * For more information on colour options please see overleaf



STUDIO VERVE COLOUR OPTIONS



For those that want to add a splash of colour into their living space, Gazco offer a range of vibrant colour options specifically designed to complement the stylish, contemporary form of the Studio Electric Verve.

Whether to liven your living room, brighten your bedroom or even highlight your hallway, these four striking colours are sure to catch the eye and transform your interior space.

The colours shown on this page are available for all four Studio Electric Verve sizes which are additionally shown on pages 10 -11.

There is a choice of three eye-catching colours to choose from: Metallic Red, Metallic Bronze and Ivory. Please use the product code for the Studio Verve of your choice, with the following suffix for your chosen colour:

Metallic Red (RD) • Metallic Bronze (BZ) • Ivory (IV)

For example: Studio Electric 2 Verve in Metallic Red: 223-427RD

Heat Output

Finish
Graphite
Metallic
Metallic
lvory
IVOLY

Studio 3: 0.9kW - 1.8kW Studio 22: 0.45kW - 0.9kW (or flame effect only)

Studio 1: 0.9kW - 1.8kW

Studio 2: 0.9kW - 1.8kW

Fuel Bed Effect White Stones

Frame Dimensions w x h x d (mm) Studio 1: 1320 x 640 x 155 Studio 2: 1520 x 640 x 160 Studio 3: 1900 x 640 x 194 Studio 22: 676 x 1320 x 156



Efficiency 99%

For more detailed information please see page 58.

STUDIO ELECTRIC E-MOTIV



With a sophisticated two-part design, the new E-Motiv frame features a sleek glass front with a stylish wooden background for a distinctive, layered aesthetic.

Each layer can be tailored with your choice of finish. The front is available in either black or white glass whilst a choice of real Walnut or Oak veneer finishes can be selected for the wood background. Each option is fully compatible so you can choose your preferred combination of glass colour and wood finish to best suit your interior décor.

The E-Motiv is available for all four sizes of the Studio Electric including the portrait Studio Electric 22. With alluring LED flame effects, the Studio Electric E-Motiv will create a warming ambience and eye-catching aesthetics with the ultimate convenience offered by a high quality electric fire.



Front Finish Choice Black Glass White Glass

Heat Output

Studio 1: 0.9kW - 1.8kW Studio 2: 0.9kW - 1.8kW Studio 3: 0.9kW - 1.8kW Studio 22: 0.45kW - 0.9kW (or flame effect only)

Frame Dimensions w x h x d (mm)

Studio 1: 1120 x 675 x 133 Studio 2: 1320 x 675 x 133 Studio 3: 1710 x 675 x 133 Studio 22: 675 x 1320 x 133



Efficiency

99%

[†]Wood is a natural material. There will be variations in shading and occasionally knots in the timbers used. For more detailed information please see page 58.





Studio Electric 1 E-Motiv with Black Glass and Medium Oak



STUDIO ELECTRIC EVOLVE



The Evolve is a stylish two-part frame that features a subtly curving wooden front in a choice of Walnut or Oak finishes bordered by a sophisticated black steel rear.

The Evolve comes with contrasting Brushed Steel infills which fit into recesses on either side of the front of the frame. The Studio Evolve can be further styled to your own décor by choosing from three additional infill options; including Polished, White or Black Steel.

[†]Wood is a natural material. There will be variations in shading and occasionally knots in the timbers used. For more detailed information please see page 58.


Front Finish Choice[†]



Rear Finish Matt Black



Studio Evolve Infill Finishes



(upgradable)

Brushed Steel (standard)

Heat Output

Studio 1: 0.9kW - 1.8kW Studio 2: 0.9kW - 1.8kW Studio 3: 0.9kW - 1.8kW Studio 22: 0.45kW - 0.9kW (or flame effect only)



(upgradable)

White Steel (upgradable)

Frame Dimensions w x h x d (mm)

Studio 1: 1000 x 640 x 144 Studio 2: 1200 x 640 x 144 Studio 3: 1590 x 640 x 144 Studio 22: 640 x 1200 x 144











RIVA2 670 DESIGNIO2 GLASS



The Designio2 Glass' reflective black surfaces and subtle detailing perfectly complement this stylish electric fire. Offering chic, contemporary styling this mesmerising fire and frame choice creates an eye-catching centrepiece that can suit a wide range of interiors.

For a streamlined aesthetic, the Riva2 670 Electric can be slotted into a pre-constructed hole. Alternatively you can use the optional wall mounting box to hang your fire on a flat wall. The versatile Designio2 frame also allows the 670 Electric to be hearth mounted for a more traditional fireplace setting.

Finish Choice	Heat Output	Frame Dimensions w x h x d (mm)
Black Glass	1.0kW - 2.0kW (or flame effect only)	735 x 569 x 40*
Fuel Bed	Efficiency	
Log effect	99%	

. .

Remote Control

17

*Depth when recessed into wall, for more information on the optional wall-mounting box please see page 61. For more detailed information including firebox dimensions please see page 61.

RIVA2 670 DESIGNIO2 STEEL



The Designio2 Steel is a stylish frame that has been thoughtfully shaped for the Riva2 670 Electric and sports a simple yet sophisticated design.

Finished in a choice of stylish Graphite or smart Iridium, the Designio2 Steel offers you a complete focal point with a thoroughly contemporary and cutting edge look that will complement many interiors and decors.

Offering versatile styling options, the Designio2 Steel can be wall or hearth mounted depending on your tastes. Additionally, the fire can also be installed using the optional wall mounting box, for flat wall installation.

 Finish Choice
 Heat Output

 Graphite
 1.0kW - 2.0kW

 Iridium
 (or flame effect only)

Fuel BedEfficiencyLog effect99%

Frame Dimensions w x h x d (mm) 735 x 569 x 40*



*Depth when recessed into wall, for more information on the optional wall-mounting box please see page 61. For more detailed information please see page 61.



RIVA2 670 EVOKE GLASS



The Evoke Glass is an eye-catching frame with layers of stunning reflective glass and sophisticated steel combining to create a thoroughly stylish accompaniment to the highly efficient Riva2 670 Electric.

Choose from a lustrous black or white glass front to complement the bevelled rear steel section in Graphite. Alternatively the rear can be selected in either Metallic Red, Metallic Bronze and Ivory colour finishes.

All Riva2 670 Electric fires can be recessed into a pre-constructed hole for a more minimalist installation but can also be hung directly on the wall with the optional wall mounting box.

Front Finishes Black Glass White Glass Fuel Bed lvory Log effect

Efficiency 99%

Rear Finishes Frame Dimensions w x h x d (mm) Graphite Metallic Red Metallic Bronze

920 x 622 x 41*

Heat Output 1.0kW - 2.0kW (or flame effect only)

Remote Control

*Depth when recessed into wall, for more information on the optional wall-mounting box please see page 61. Colour options shown on pages 12 - 13. For more detailed information please see page 61.

See front cover for additional image.





Riva2 670 Electric Evoke Steel with Graphite front & Graphite rear

RIVA2 670 EVOKE STEEL



The Evoke Steel is a stunning, two-part design that blends expertly into both traditional and more modern interiors. The front face of this frame comes in a stylish Graphite finish with the option for customisation in one of three exciting additional colour choices.

The attractive bevelled rear is left in Graphite to perfectly complement the standard Graphite front finish or form a contrasting border to any of the bold colour choices. With variable flame effect and heating settings, and the option to enjoy the flames without any heat at all, the Riva2 Evoke Steel is as impacting in its functionality as it is in its designer aesthetics.

Front Finishes	Rea
Graphite	Grap
Metallic Red	
Metallic Bronze	Hea
lvory	1.0k (or fl

Rear Finish Graphite Heat Output 1.0kW - 2.0kW (or flame effect only) Frame Dimensions w x h x d (mm) 920 x 622 x 41* Efficiency

Fuel Bed Log effect

99%



*Depth when recessed into wall, for more information on the optional wall-mounting box please see page 61.

Colour options shown on pages 12 - 13.

For more detailed information please see page 61.

RIVA2670 VERVE



The stylish Verve is a 3D frame designed to create maximum impact in your home. Designed with a gentle curving form that can be appreciated from all angles, the Verve is available in sophisticated Graphite or can be tailored to your room with one of Gazco's vibrant colour finishes; Metallic Red, Metallic Bronze or Ivory.

Whether it's for a sumptuous sitting room or a stylish study, with a stunningly realistic fuel effect and convenient remote control, the Riva2 670 Electric Verve can add a touch of warming luxury to your home.

There is also the smaller proportioned Verve XS shown on pages 28 - 29.

Finish Choice Heat Output Graphite Metallic Red Metallic Bronze lvory 99%

1.0kW - 2.0kW (or flame effect only) Efficiency

Frame Dimensions w x h x d (mm) 1325 x 621 x 59*

Fuel Bed Log effect



*Depth when recessed into wall, for more information on the optional wall-mounting box please see page 61. Colour options shown on pages 12 - 13. For more detailed information please see page 61.







Riva2 670 Electric Verve XS in Graphite

RIVA2 670 VERVE XS



The Verve XS offers the same subtly curving form of the larger Verve frame (shown on pages 26 - 27) but with slimmer proportions to suit narrower walls or spaces.

The Verve XS comes in smart Graphite or can be finished in one of three striking additional colour options to suit your interior tastes. The highly realistic fuel bed is enhanced by Gazco's stunning flame-effect, offering all the ambiance of a real log flame in the modern convenience of a high efficiency electric fire.

Finish Choice Graphite Metallic Red Metallic Bronze Ivory

Heat Output 1.0kW - 2.0kW (or flame effect only) Efficiency 99%

Frame Dimensions w x h x d (mm)	
1000 x 621 x 56*	0
	6
Fuel Bed	
Log effect	-

*Depth when recessed into wall, for more information on the optional wall-mounting box please see page 61. Colour options shown on pages 12 - 13. For more detailed information please see page 61.



1000

ELECTRIC INSET FIRE SIZES

Studio Electric Inset 80

It's hard not to warm to the landscape form of the Studio Inset 80. This fire provides all the dramatic presence of a cassette fire, with the proportions to suit small to medium rooms. Created using the latest technology, the Studio Electric Inset 80 has two heat settings from 1 - 2kW and variable LED flame brightness settings. All of its features are easily controlled from the comfort of your sofa, using the remote control.

Studio Electric Inset 105

The longer lines of the Studio Inset 105 make a stylish designer statement in any interior. The Studio Inset 105 has two heat settings, from 1–2kW and benefits from a beautiful LED flame effect, all controlled by the easy to use remote. With no need for a chimney, the Gazco Electric fire ranges can be used to add contemporary style to almost any room in your house.

Studio Electric Inset 150

The Studio Electric Inset 150 is the biggest landscape fire in the range and therefore more suited to larger interiors. The 1-2kW heat settings, LED flame-effect and variable brightness levels are all controlled directly from your remote so you can just sit back and appreciate this stunning fire with complete ease. With its grand proportions and stunning frameless design, the Studio Electric Inset 150 makes a truly impressive statement.







Riva2 Electric 55

The Riva2 Electric 55 has a striking square design and a flame visual to match. Designed with a stunning LED flame-effect, variable brightness and 0.5kW - 1.0kW heat settings, the Riva2 Electric 55 blends form and function, controlling it all with the remote included.



Riva2 Electric 70

The Riva2 Electric 70 has a sleek and contemporary virtually square format to extend your possibilities. The frameless design emphasises the highly realistic flame effect which has variable brightness levels.

The Riva2 Electric 70 also benefits from being compatible with Gazco's exquisite collection of Natural Stone Mantels.





STUDIO ELECTRIC INSET



The Studio Electric Inset's frameless design creates a strikingly contemporary and minimalist look. Available in three different sizes and installed completely flush with the wall, the Studio Electric Inset has the versatility to complement a wide range of stylish room designs.

Relax in your favourite arm chair and enjoy heat at the touch of a button. Designed for ultimate ease of use, you can control everything from the remote control included. With two heat settings from 1 - 2kW, the Studio Electric Inset fires also benefit from variable LED flame-effects and brightness to suit your mood or ambiance.

On warmer evenings you can enjoy the fire without any additional warmth as the LED flame effect can be cleverly operated independently of the heater.

Heat Output 1.0kW – 2.0kW (or flame effect only)

Efficiency 99% Dimensions w x h (mm)

Studio Electric Inset 80: 800 x 380 Studio Electric Inset 105: 1050 x 380 Studio Electric Inset 150: 1500 x 380



For more detailed information please see page 59.

RIVA2 ELECTRIC INSET



Creating an impressive focal point in any setting, the Riva2 Electric range offers captivating flame-effects in a choice of sizes to suit a range of interiors.

Featuring one touch heat, two adjustable heat settings and variable brightness, the Riva2 is so versatile that you can create a bespoke atmosphere for any occasion. Alternatively, you can switch off the heat and simply enjoy the authentic atmosphere created by our unique LED flame-effect technology.

You can further increase your design possibilities by pairing your Riva2 Electric 70 with a selection of timeless Riva2 Natural Stone Mantels as shown on pages 36 - 37.

Heat Output Riva2 Electric Inset 55: 0.5kW - 1.0kW Riva2 Electric Inset 70: 1.0kW - 2.0kW (or flame effect only)

Efficiency

99%

For more detailed information please see page 59.

Dimensions w x h (mm)

Riva2 Electric Inset 55: 550 x 550 Riva2 Electric Inset 70: 700 x 650



Remote



Claremont

RIVA2 ELECTRIC STONE MANTELS





Cavendish Bolection



Georgian Roundel





Sandringham

For sheer elegance and ultimate sophistication, you can combine your Riva2 Electric 70 fire with one of Gazco's beautiful natural stone mantels. There are six designs to suit both traditional and modern decorative styles, each available in either the clean look of antique white marble or the gentle warmth of natural limestone.

A Riva2 Electric stone mantel provides you with the highest levels of aesthetic and tactile appeal from the hand-finished craftsmanship that goes into each and every one.

Mantel Styles	Dimensions w x h (mm) [†]
Claremont	1555 x 1143
Cavendish Bolection	1460 x 1320
Georgian Roundel	1460 x 1082
Grafton	1415 x 1165
Sandringham	1550 x 1220
Victorian Corbel	1525 x 1170

Mantel Stone Choice

Antique White Marble Limestone

Heat Output 1.0kW - 2.0kW (or flame effect only)

Fire Dimensions w x h (mm) 700 x 650





* Our stone mantels are crafted from high quality, natural material and therefore will contain naturally occurring veining, subtle tonal differences and indeed, small fossils that may be found in the limestone or marble.

[†] Overall visible dimensions upon installation. For more detailed information, including firebox dimensions please see page 59.

Grafton





L O G I C 2 E L E C T R I C F I R E S

Featuring advanced LED technology, the Logic2 Electric Inset fire range offers captivating, life-like flame visuals for instant fireside ambience. Designed to fit easily into a standard fireplace opening, 3" rebated mantel with slip or simply against a flat wall using the optional spacer frame, this versatile fire can be enjoyed in almost any interior setting.

The Logic2 features two LED flame effects including deep amber for a warm and inviting atmosphere, as well as cool blue for an eye-catching contemporary focal point. Using the handset that gives you full control over the fire's features, the Logic2's flames can be set to high and low brightness settings and can also be displayed with or without the heat if desired.

Enhancing the visual effects, the Logic2 Electric comes complete with three easily interchangeable fuel beds which each add a unique aesthetic to the fire. The log arrangement adds a traditional woodburning feel, or, switch to either white and clear stones or grey pebbles for a strikingly contemporary look.

The versatile Logic2 has a choice of modern and traditionally styled frames and fronts (shown on the following pages) that allow you to customise your fire to suit your home.

3 INTERCHANGEABLE FUEL EFFECTS







Log-effect

White & Clear Stones

Grey Pebbles









Logic2 Electric Arts with Highlight Polished front, Brushed Steel effect frame and White & Clear Stone fuel effect. Also shown: Art Deco wooden mantel in white, available from Stovax.

L O G I C 2 E L E C T R I C A R T S



Taking its design origins from the Arts and Crafts movement in the early twentieth century, the Logic2 Arts embraces simplicity and clean styling. Available in a range of front and frame finishes, the Arts can be selected in a variety of combinations to suit your tastes. Using the optional spacer frame the Arts can also be installed without having to be inset the fire into a wall, minimising building work.

Finish Combina		
Frame Choice		Front Choice
		Matt Black
Matt Black	{	Brass effect
		Polished effect
		Highlight Polished
Brass effect	\langle	Brass effect
	\int	Matt Black
	\leq	Polished effect
		Highlight Polished
		Matt Black
Brushed Steel	\leq	Polished effect
Check		Highlight Polished

Einich Combinations

Interchangeable Fuel Beds Log effect White & Clear Stones Grey Pebbles

Heat Output 1.0kW - 2.0kW (or flame effect only)

Flame Visual Settings Deep Amber or Cool Blue

Dimensions w x h (mm) 510 x 609

Efficiency

99%



For more detailed information please see page 60.

LOGIC2 ELECTRIC CHARTWELL



effect frame, and Log-effect fuel bed on blue flame setting.

with White & Clear Stone fuel effect.

The elegant Logic2 Chartwell instantly evokes the heritage and classical styling of a traditional fireplace. Available in various front and frame finishes, the Chartwell can be combined with Gazco's many mantels, fronts and insert panels to create the perfect fireplace for your home.

For easy installation, each frame choice can be used with the optional spacer frame which allows the Logic2 to be fitted directly against a flat wall.

See page 38 for additional image.

For more detailed information please see page 60.

Finish Combinations

Frame Choice		Front Choice
	ſ	Matt Black
Matt Black	Į	Brass effect
		Polished effect
		Highlight Polished
Brass effect	\langle	Brass effect
	$\left[\right]$	Matt Black
Polished Steel effect	\leq	Polished effect
Chect		Highlight Polished
	$\left[\right]$	Matt Black
Brushed Steel effect	\leq	Polished effect
		Highlight Polished

Interchangeable Fuel Beds

Log effect White & Clear Stones Grey Pebbles

with Log-effect fuel bed.

Heat Output 1.0kW - 2.0kW (or flame effect only)

Flame Visual Settings

Deep Amber or Cool Blue

Dimensions w x h (mm) 510 x 609

Efficiency 99%







LOGIC2 ELECTRIC WAVE



Blending modern and traditional styling, the Logic2 Wave features smooth lines and refined curves, suiting both contemporary and period interiors alike. The Wave can be selected in Black, Polished Steel, Brushed Steel and Brass with the option to combine different frame and front finishes for unique styling. Logic2 Wave fires are available with an optional spacer frame which allows the fire to be quickly and easily fitted onto a flat wall, if desired.

See page 39 for additional image.

For more detailed information please see page 60.



Finish Combinations

Frame Choice		Front Choice
	$\left[\right]$	Matt Black
Matt Black	Į	Brass effect
		Polished effect
		Highlight Polished
Brass effect	\langle	Brass effect
	$\left[\right]$	Matt Black
Polished Steel effect	\leq	Polished effect
Chect		Highlight Polished
Deside al Creat		Matt Black
Brushed Steel effect	\leq	Polished effect
ellect		Highlight Polished

Interchangeable Fuel Beds Log effect White & Clear Stones

Grey Pebbles

Heat Output 1.0kW - 2.0kW (or flame effect only)

Flame Visual Settings

Deep Amber or Cool Blue

Dimensions w x h (mm) 510 x 609

99%

Efficiency

Remote Control

LOGIC2 ELECTRIC PROGRESS



The ultra-contemporary Progress front's minimalist styling perfectly complements the advanced Logic2 fire. Featuring a smoothly curving front with a striking Iridium finish, this modern fire effortlessly makes for a designer centrepiece in any interior.

The versatile Logic2 fire range is designed to be fitted into a standard fireplace opening or flat against the wall with either a 3" rebated mantel with slip or by using the optional spacer frame.

For more detailed information please see page 60.

Finish

Iridium

Heat Output 1.0kW - 2.0kW (or flame effect only)

Dimensions w x h (mm) 520 x 602

Interchangeable Fuel Beds

Log effect White & Clear Stones Grey Pebbles

Flame Visual Settings Deep Amber or Cool Blue

Efficiency 99%





MARLBOROUGH ELECTRIC



The Marlborough Electric offers you an amazingly realistic log-effect fire at the touch of a button in two different sizes. At its heart is Gazco's unique VeriFlame™ technology which allows you to choose from two heat settings that can both be thermostatically controlled*; three brightness levels, plus the additional option for a blue flame-effect when set to high. You can even turn off the heat and just watch the stunning flame-effects.

Gazco Electric Stoves simply plug into a 13amp socket, so are particularly suited for conservatories, bedrooms or studies, in fact any room without a chimney.

Finish Matt Black Fuel Bed

Heat Output 1.0kW - 2.0kW (or flame effect only) **Size w x h x d (mm)** Small: 410 x 553 x 360 Medium: 590 x 583 x 410

Efficiency 99%



For more detailed information please see page 61. *The thermostat is controlled manually from the stove



STOCKTON ELECTRIC



With a stunning cast iron door and heavy gauge steel body, the Stockton Electric combines the classic looks of a woodburning stove with the ease and convenience of Gazco's unique VeriFlame™ technology.

This means you can enjoy two heat settings that can be thermostatically controlled*, three flame intensity levels, plus the additional option for a blue flame effect when set to high. Creating a remarkably authentic log effect fire, the Stockton Electric creates a superb focal point in any room.

The Stockton Electirc range is available in three sizes; Stockton Small, Stockton 5 and Stockton Medium.

Finish Matt Black

Fuel Bed Log effect

> Heat Output 1.0kW - 2.0kW (or flame effect only)

Size w x h x d (mm) Small: 422 x 525 x 340 5: 481 x 544 x 337 Medium: 579 x 618 x 411

Efficiency 99%



For more detailed information please see page 62. *The thermostat is controlled manually from the stove



HUNTINGDON ELECTRIC



The fine castings of the Huntingdon Electric range are brought alive with Gazco's VeriFlame™ technology, which gives you two heat settings that can both be thermostatically controlled*. In addition, there are also three flame brightness levels to choose from as well as the option of a blue flame effect on the highest heat setting.

Your choice of flame effect is set against the highly realistic fuel bed and individually hand painted logs, perfectly mirroring the look and atmosphere of a real woodburning stove. The Huntingdon Electric range is available in a number of finishes to complement your home. For even more styling options, each size is also offered in either clear door or tracery door versions.

See additional image of Huntingdon 30 on front cover.

Colour Choice Paint Finishes Matt Black Matt Ivory

Enamel Finishes Heat Output 1.0kW - 2.0kW

Door Choice Tracery Door Clear Door

lvory


For more detailed information please see page 61.

* The thermostat is controlled manually from the stove.

Fuel Bed

Log effect

(or flame effect only)



Efficiency

99%





54 I ELECTRIC STOVES



STEEL MANHATTAN ELECTRIC



Contemporary, convenient and comforting, the small and medium Steel Manhattan Electric stoves both provide clean lines and contemporary styling, featuring a contrasting cast iron grill plate in the stove top.

With a highly realistic log-effect fire and up to 2kW of heat, you can achieve the perfect ambiance, all at the press of a button on your remote control*.

Both versions benefit from our unique VeriFlame™ technology which offers you three different glow intensities and even an additional blue flame option on the high setting.

Finish Choice Anthracite Brushed Stainless Steel

For more detailed information please see page 62.

*The thermostat is controlled manually from the stove

Heat Output 1.0kW - 2.0kW (or flame effect only)

Fuel Bed

Log effect

Size w x h x d (mm) Small: 540 x 633 x 360

99%

Medium: 709 x 683 x 425

Efficiency





VISION ELECTRIC



The Vision is a contemporary, electric stove that comes in three sizes: Small, Midi and Medium; each sporting a highly reflective black glass door, integral glass plinth, black glass top plate and contrasting stainless steel detailing for a clean stylish look.

Incorporating an eye-catching flame effect created using Gazco's unique Veriflame[™] technology, the Vision's alluring visuals glow over a realistic hand painted log-effect fuel bed to give all the ambiance and depth of a real log fire.

The three brightness levels can be easily altered at the touch of a button on the remote control* to create a look to suit your mood. Furthermore, each level is available with or without the 1-2kW of heat output, so you can enjoy the ambiance created by your electric stove whatever the season!

To increase your interior design possibilities, you can enhance your Vision by choosing from one of ten stylish Riva Stove Benches as shown on page 62. **Finish** Black Glass

> Fuel Bed Log effect

Heat Output 1.0kW - 2.0kW (or flame effect only

Efficiency 99% Size w x h x d (mm) Small: 370 x 555 x 299 Midi: 415 x 604 x 320 Medium: 535 x 676 x 363





For more detailed information please see page 62. *The thermostat is controlled manually from the stove

STUDIO ELECTRIC

Product	Frame	Finish	Fram	ne Size	(mm)	Flame	Heat	Efficiency
Code			w	h	d	Viewing Area (w x h)	Output	
STUDIO	1					Area (w x n)		
223-202	Verve*	Graphite	1320	640	155	650 x 324	0.9 - 1.8kW	99%
223-094	Glass	Black Glass	1120	675	118	650 x 324	0.9 - 1.8kW	99%
223-026	E-Motiv	Medium Oak Rear & Black Glass Front	1120	675	133	650 x 324	0.9 - 1.8kW	99%
223-002	E-Motiv	Light Oak Rear & Black Glass Front	1120	675	133	650 x 324	0.9 - 1.8kW	99%
223-048	E-Motiv	Walnut Rear & Black Glass Front	1120	675	133	650 x 324	0.9 - 1.8kW	99%
223-207	E-Motiv	Medium Oak Rear & White Glass Front	1120	675	133	650 x 324	0.9 - 1.8kW	99%
223-219	E-Motiv	Light Oak Rear & White Glass Front	1120	675	133	650 x 324	0.9 - 1.8kW	99%
223-212	E-Motiv	Walnut Rear & White Glass Front	1120	675	133	650 x 324	0.9 - 1.8kW	99%
223-303	Evolve	Medium Oak Front - Brushed Steel Infills	1000	540	144	650 x 324	0.9 - 1.8kW	99%
223-316	Evolve	Light Oak Front - Brushed Steel Infills	1000	540	144	650 x 324	0.9 - 1.8kW	99%
223-310	Evolve	Walnut Front - Brushed Steel Infills	1000	540	144	650 x 324	0.9 - 1.8kW	99%
STUDIO	2							
223-427	Verve*	Graphite	1520	640	160	850 x 324	0.9 - 1.8kW	99%
223-335	Glass	Black Glass	1320	675	118	850 x 324	0.9 - 1.8kW	99%
223-053	E-Motiv	Medium Oak Rear & Black Glass Front	1320	675	133	850 x 324	0.9 - 1.8kW	99%
223-016	E-Motiv	Light Oak Rear & Black Glass Front	1320	675	133	850 x 324	0.9 - 1.8kW	99%
223-070	E-Motiv	Walnut Rear & Black Glass Front	1320	675	133	850 x 324	0.9 - 1.8kW	99%
223-224	E-Motiv	Medium Oak Rear & White Glass Front	1320	675	133	850 x 324	0.9 - 1.8kW	99%
223-240	E-Motiv	Light Oak Rear & White Glass Front	1320	675	133	850 x 324	0.9 - 1.8kW	99%
223-231	E-Motiv	Walnut Rear & White Glass Front	1320	675	133	850 x 324	0.9 - 1.8kW	99%

STUDIO 3

223-325

223-342

223-339

Evolve

Evolve

Evolve

223-920	Verve*	Graphite	1900	640	194	1236 x 324	0.9 - 1.8kW	99%
223-905	Glass	Black Glass	1710	675	118	1236 x 324	0.9 - 1.8kW	99%
223-061	E-Motiv	Medium Oak Rear & Black Glass Front	1710	675	133	1236 x 324	0.9 - 1.8kW	99%
223-029	E-Motiv	Light Oak Rear & Black Glass Front	1710	675	133	1236 x 324	0.9 - 1.8kW	99%
223-084	E-Motiv	Walnut Rear & Black Glass Front	1710	675	133	1236 x 324	0.9 - 1.8kW	99%
223-247	E-Motiv	Medium Oak Rear & White Glass Front	1710	675	133	1236 x 324	0.9 - 1.8kW	99%
223-291	E-Motiv	Light Oak Rear & White Glass Front	1710	675	133	1236 x 324	0.9 - 1.8kW	99%
223-259	E-Motiv	Walnut Rear & White Glass Front	1710	675	133	1236 x 324	0.9 - 1.8kW	99%
223-354	Evolve	Medium Oak Front - Brushed Steel Infills	1590	640	144	1236 x 324	0.9 - 1.8kW	99%
223-380	Evolve	Light Oak Front - Brushed Steel Infills	1590	640	144	1236 x 324	0.9 - 1.8kW	99%
223-367	Evolve	Walnut Front - Brushed Steel Infills	1590	640	144	1236 x 324	0.9 - 1.8kW	99%

1200 640

1200 640

144 850 x 324

144 850 x 324

144

850 x 324

0.9 - 1.8kW

0.9 - 1.8kW

0.9 - 1.8kW

99%

99%

99%

*For details on how to order a Studio Electric Verve in other colour options please see page 13.

Medium Oak Front - Brushed Steel Infills 1200 640

Light Oak Front - Brushed Steel Infills

Walnut Front - Brushed Steel Infills

STUDIO ELECTRIC 1, 2 & 3

STUDIO ELECTRIC 22

SIDE


c


в

AERIAL

FRONT

SIDE







	Studio 1	Studio 2	Studio 3	Studio 22
А	822	1045	1430	492
В	549	549	549	1062
С	416	416	456	929
D	98	98	98	98

С	416		416	456	929						
D	98		98	98	98						
Produc	t Fra	me	Finish	Finish -		Fram	ne Size (r	nm)	Flame	Heat	Efficiency
Code						w h d		d	Viewing Area (w x h)	Output	
STUD	00 22								/ iicu (W X II)		
223-7	10 Ver	ve*	Graphite	è		676	1320	156	324 x 850	0.45 - 0.9kW	99%
223-5	57 Gla	SS	Black Gl	Black Glass		675	1320	118	324 x 850	0.45 - 0.9kW	99%
223-0	92 E-N	1otiv	Medium	Medium Oak Rear & Black Glass Front		675	1320	133	324 x 850	0.45 - 0.9kW	99%
223-0	77 E-N	1otiv	Light Oa	ak Rear & Bla	ck Glass Front	675	1320	133	324 x 850	0.45 - 0.9kW	99%
223-1	01 E-N	1otiv	Walnut F	Rear & Black (Glass Front	675	1320	133	324 x 850	0.45 - 0.9kW	99%
223-2	73 E-N	1otiv	Medium	Oak Rear & V	White Glass Front	675	1320	133	324 x 850	0.45 - 0.9kW	99%
223-2	96 E-N	1otiv	Light Oa	ak Rear & Whi	ite Glass Front	675	1320	133	324 x 850	0.45 - 0.9kW	99%
223-2	85 E-N	1otiv	Walnut F	Walnut Rear & White Glass Front		675	1320	133	324 x 850	0.45 - 0.9kW	99%
223-3	71 Eva	olve	Medium	Oak Front - I	Brushed Steel Infills	640	1200	144	324 x 850	0.45 - 0.9kW	99%
223-3	93 Evo	olve	Light Oa	Light Oak Front - Brushed Steel Infills		640	1200	144	324 x 850	0.45 - 0.9kW	99%
223-3	88 Evo	olve	Walnut F	Walnut Front - Brushed Steel Infills			1200	144	324 x 850	0.45 - 0.9kW	99%

INFILL SETS FOR THE STUDIO 1,2 & 3 EVOLVE

923-894	Studio 1 & 2 Evolve Infill Set - Polished Steel
923-916	Studio 1 & 2 Evolve Infill Set - Brushed Steel
923-930	Studio 1 & 2 Evolve Infill Set - Black Steel
923-941	Studio 1 & 2 Evolve Infill Set - White Steel

INFILL SETS FOR THE STUDIO 22 EVOLVE


Α


923-736	Studio 22 Evolve Infill Set - Polished Steel
923-580	Studio 22 Evolve Infill Set - Brushed Steel
923-621	Studio 22 Evolve Infill Set - Black Steel
923-361	Studio 22 Evolve Infill Set - White Steel

The above information is to assist in your choice of a suitable Gazco Electric fire. It is not intended to be all information required to install your fire. This can be obtained from your local Gazco retailer or you can download the full installation instructions from the Gazco website at www.gazco.com

I N S E T F I R E S

STUDIO ELECTRIC INSET DIMENSIONS





RIVA2 ELECTRIC INSET DIMENSIONS

Inset Fires Dimensions (mm)

	Α	В	С	D	E	F	G	Н
Studio Inset 150	1500	1877	380	622	152	167	585	1834
Studio Inset 105	1050	1460	380	624	152	167	585	1417
Studio Inset 80	800	1145	380	622	152	167	585	1102
Riva2 70	700	1045	650	902	152	167	865	1002
Riva2 55	550	895	550	792	152	167	755	852

Fire Information

Product Code	Model	Heat Output	Efficiency
223-044	Studio Electric Inset 150	1.00 - 2.00kW	99%
223-136	Studio Electric Inset 105	1.00 - 2.00kW	99%
223-378	Studio Electric Inset 80	1.00 - 2.00kW	99%
234-209	Riva 2 Electric 70	1.00 - 2.00kW	99%
234-016	Riva 2 Electric 55	0.50 - 1.00kW	99%

RIVA2 ELECTRIC STONE MANTELS

Product Code	Description	Finish	Overall Width (mm)	Height (mm)	Shelf Depth (mm)	Leg to leg outer (mm)
9002CLWM	Claremont (requires slip set)	Antique White Marble	1555	1143	190	1331
9002CLTL	Claremont (requires slip set)	Limestone	1555	1143	190	1331
9000CAWM	Cavendish Bolection (requires slip set)	Antique White Marble	1460	1320	207	1270
9000CATL	Cavendish Bolection (requires slip set)	Limestone	1460	1320	207	1270
9001GEWM	Georgian Roundel (requires slip set)	Antique White Marble	1460	1082	200	1277
9001GETL	Georgian Roundel (requires slip set)	Limestone	1460	1082	200	1277
9003GRWM	Grafton (requires slip set)	Antique White Marble	1415	1165	105	1415
9003GRTL	Grafton (requires slip set)	Limestone	1415	1165	105	1415
9004VIWM	Victorian Corbel (requires slip set)	Antique White Marble	1525	1170	250	1375
9004VITL	Victorian Corbel (requires slip set)	Limestone	1525	1170	250	1375
9005SAWM	Sandringham (requires slip set)	Antique White Marble	1550	1220	227	1325
9005SATL	Sandringham (requires slip set)	Limestone	1550	1220	227	1325

SLIP SETS

G

Product Code	Description	Finish
934-736	Slip set for Stone Mantel	Antique White Marble
934-015	Slip set for Stone Mantel	Limestone

HEARTHS


Product Code	Description	Finish	Overall Width (mm)	Height (mm)	Shelf Depth (mm)
934-241	Small Hearth for Stone Mantel	Antique White Marble	1524	53	228
934-193	Small Hearth for Stone Mantel	Limestone	1524	53	228
934-489	Large Hearth for Stone Mantel	Antique White Marble	1625	53	457
934-351	Large Hearth for Stone Mantel	Limestone	1625	53	457

Our stone mantels are crafted from high quality, natural material and therefore will contain naturally occurring veining, subtle tonal differences and indeed, small fossils that may be found in the limestone.

L O G I C 2 E L E C T R I C

PROGRESS FRAME DIMENSIONS





* The depth of the Logic2 Electric fires are increased by 6mm when using an optional spacer frame.

Product Code	Front	Frame Finish	Front Finish	Heat Output	Efficiency
Arts Fire Ir	formation				
201-005	Arts	Matt Black	Matt Black	1.00 - 2.00kW	99%
201-038	Arts	Matt Black	Brass Effect	1.00 - 2.00kW	99%
201-081	Arts	Matt Black	Polished Effect	1.00 - 2.00kW	99%
201-099	Arts	Matt Black	Highlight Polished	1.00 - 2.00kW	99%
201-132	Arts	Brass Effect	Brass Effect	1.00 - 2.00kW	99%
201-148	Arts	Polished Steel Effect	Matt Black	1.00 - 2.00kW	99%
201-173	Arts	Polished Steel Effect	Polished Effect	1.00 - 2.00kW	99%
201-197	Arts	Polished Steel Effect	Highlight Polished	1.00 - 2.00kW	99%
201-222	Arts	Brushed Steel Effect	Matt Black	1.00 - 2.00kW	99%
201-236	Arts	Brushed Steel Effect	Polished Effect	1.00 - 2.00kW	99%
201-401	Arts	Brushed Steel Effect	Highlight Polished	1.00 - 2.00kW	99%

Product Code	Front	Frame Finish	Front Finish	Heat Output	Efficiency
Wave Fire I	nformation				
201-416	Wave	Matt Black	Matt Black	1.00 - 2.00kW	99%
201-504	Wave	Matt Black	Brass Effect	1.00 - 2.00kW	99%
201-360	Wave	Matt Black	Polished Effect	1.00 - 2.00kW	99%
201-384	Wave	Matt Black	Highlight Polished	1.00 - 2.00kW	99%
201-688	Wave	Brass Effect	Brass Effect	1.00 - 2.00kW	99%
201-717	Wave	Polished Steel Effect	Matt Black	1.00 - 2.00kW	99%
201-591	Wave	Polished Steel Effect	Polished Effect	1.00 - 2.00kW	99%
201-828	Wave	Polished Steel Effect	Highlight Polished	1.00 - 2.00kW	99%
201-757	Wave	Brushed Steel Effect	Matt Black	1.00 - 2.00kW	99%
201-269	Wave	Brushed Steel Effect	Polished Effect	1.00 - 2.00kW	99%
201-323	Wave	Brushed Steel Effect	Highlight Polished	1.00 - 2.00kW	99%

Chartwell Fire Information

201-742	Chartwell	Matt Black	Matt Black	1.00 - 2.00kW	99%
201-708	Chartwell	Matt Black	Brass Effect	1.00 - 2.00kW	99%
201-655	Chartwell	Matt Black	Polished Effect	1.00 - 2.00kW	99%
201-626	Chartwell	Matt Black	Highlight Polished	1.00 - 2.00kW	99%
201-554	Chartwell	Brass Effect	Brass Effect	1.00 - 2.00kW	99%
201-511	Chartwell	Polished Steel Effect	Matt Black	1.00 - 2.00kW	99%
201-392	Chartwell	Polished Steel Effect	Polished Effect	1.00 - 2.00kW	99%
201-314	Chartwell	Polished Steel Effect	Highlight Polished	1.00 - 2.00kW	99%
201-293	Chartwell	Brushed Steel Effect	Matt Black	1.00 - 2.00kW	99%
201-024	Chartwell	Brushed Steel Effect	Polished Effect	1.00 - 2.00kW	99%
201-070	Chartwell	Brushed Steel Effect	Highlight Polished	1.00 - 2.00kW	99%

Progress Fire Information

|--|

LOGIC2 ELECTRIC OPTIONS

Logic2 Electric Optional Spacer Frames[†]

901-815	Logic2 Electric Arts, Chartwell & Wave Spacer Frame - Black
901-860	Logic2 Electric Progress Spacer Frame - Graphite

⁺Logic2 Electric Spacer Frames are for use when installing onto a flat wall.

R I V A 2 6 7 0 E L E C T R I C

Fire Information

				Оре	ning Size	(mm)
Product Code	Fuel Effect	Heat Output	Efficiency	w	h	d
234-872	Logs	1.00 - 2.00kW	99%	665	535	105
Riva2 670 Ele	ectric Accesso	ory				
8688SL	Wall mounti	ng box for Riva2 6	570 Electric C	assette 2	34-872	

The wall mounting box allows you to hang your Riva2 670 directly onto the wall, without the need for an opening or recess.

Frame Informatio	Frame Size (mm)				
Product Code	Description	Frame Finish	w	h	d
934-339	Designio2 frame	Black Glass	735	569	40
934-238	Designio2 frame	Graphite	735	569	40
934-238IR	Designio2 frame	Iridium	735	569	40
934-529	Evoke frame	Black Glass front with Graphite rear	920	622	41
934-558	Evoke frame	White Glass front with Graphite rear	920	622	41
934-601	Evoke frame	Graphite front with Graphite rear	920	622	41
934-156	Verve frame	Graphite	1325	621	59
934-143	Verve XS frame	Graphite	1000	621	56

*There is a choice of three colours to choose from on the Riva 670 Electric Evoke Glass, Evoke Steel, Verve and Verve XS fronts (see pages 22-29), these are: Metallic Red, Metallic Bronze & Ivory. Please use the product code provided with the following suffix for your choice of colour: Metallic Red (RD), Metallic Bronze (BZ) & Ivory (IV) - for example: Riva2 670 Electric Evoke Black Glass in Metallic Red = 934-529RD




E L E C T R I C S T O V E S

MARLBOROUGH ELECTRIC

144mm

. Der


	Product Code	Model	Colour	Fuel Effect	Heat Outpu	t Efficie	ncy
	E8560	Small	Matt Black	Logs	1.00 - 2.0	0kW 999	6
	E8610	Medium	Matt Black	Logs	1.00 - 2.0	0kW 999	6
I	Dimensions	s (mm) A	В	с	D	Weight	
	Small	410	558	360	280	35kg	
	Medium	590	583	410	330	48kg	



HUNTINGDON ELECTRIC

Dimensions (mm)

	Α	В	С	D	Weight
20	413	536	324	62	35kg
30	560	592	351	96	52kg
40	641	653	397	99	59.5kg



Product Code	Model	Colour	Fuel Effect	Door Type	Heat Output	Efficiency
615-461	20	Matt Black	Logs	Tracery	1.00 - 2.00kW	99%
615-483	20	Matt Ivory	Logs	Tracery	1.00 - 2.00kW	99%
615-495	20	Ivory Enamel	Logs	Tracery	1.00 - 2.00kW	99%
615-475	20	Matt Black	Logs	Clear	1.00 - 2.00kW	99%
615-490	20	Matt Ivory	Logs	Clear	1.00 - 2.00kW	99%
615-499	20	Ivory Enamel	Logs	Clear	1.00 - 2.00kW	99%
E8503	30	Matt Black	Logs	Tracery	1.00 - 2.00kW	99%
E8503IV	30	Matt Ivory	Logs	Tracery	1.00 - 2.00kW	99%
615-567	30	Ivory Enamel	Logs	Tracery	1.00 - 2.00kW	99%
615-552	30	Matt Black	Logs	Clear	1.00 - 2.00kW	99%
615-564	30	Matt Ivory	Logs	Clear	1.00 - 2.00kW	99%
615-573	30	Ivory Enamel	Logs	Clear	1.00 - 2.00kW	99%
615-501	40	Matt Black	Logs	Tracery	1.00 - 2.00kW	99%
615-514	40	Matt Ivory	Logs	Tracery	1.00 - 2.00kW	99%
615-527	40	Ivory Enamel	Logs	Tracery	1.00 - 2.00kW	99%
615-520	40	Matt Black	Logs	Clear	1.00 - 2.00kW	99%
615-536	40	Matt Ivory	Logs	Clear	1.00 - 2.00kW	99%
615-545	40	lvory Enamel	Logs	Clear	1.00 - 2.00kW	99%

ECTRIC STOVES (CONTINUED) E L

STOCKTON ELECTRIC

Product Code	Model	Colour	Fuel Effect	Heat Output	Efficiency
E8573	Small	Matt Black	Logs	1.00 - 2.00kW	99%
E8575	5	Matt Black	Logs	1.00 - 2.00kW	99%
E8617	Medium	Matt Black	Logs	1.00 - 2.00kW	99%
Dimensions (mm)					

С

290

345

273

D

50

66

64

Weight

57kg

82kg


55kg

В

525

618

544



RIVA BENCHES



- 2 heights
- 5 lengths
- Sturdy steel construction
- Durable Matt Black finish
- 60mm wide legs

Riva Bench - Low

45 Low RVACLB45B 100 Low ... RVACLB100B 120 Low ... RVACLB120B 140 Low ... RVACLB140B 180 Low ... RVACLB180B

Riva Bench - High 45 High RVACB45B 100 High... RVACB100B 120 High... RVACB120B 140 High... RVACB140B 180 High... RVACB180B

width x height x depth

100 High (1000 x 350 x 420mm)

120 High (1200 x 350 x 420mm)



(450 x 350 x 420mm)

45 High

(450 x 250 x 420mm)

100 Low (1000 x 250 x 420mm)





140 Low 180 Low (1400 x 250 x 420mm) (1800 x 250 x 465mm) 140 High 180 Hiah 1400 x 350 x 420mm) (1800 x 350 x 465mm)

STEEL MANHATTAN ELECTRIC

А

422

579


481

Small

5

Medium


Product Code	Model	Steel Finish	Fuel Effect	Heat Output	Efficiency
E8622AN	Small	Anthracite	Logs	1.00 - 2.00kV	V 99%
E8622BS	Small	Brushed Stainless	Steel Logs	1.00 - 2.00kV	V 99%
E8619AN	Medium	Anthracite	Logs	1.00 - 2.00kV	V 99%
E8619BS	Medium	Brushed Stainless	Steel Logs	1.00 - 2.00kV	V 99%
Dimensions (mm) A B C Weight					
Small	63	33 540)	360	33kg
Medium	68	33 709)	425	44kg



VISION ELECTRIC

Product Code	Model	Finish	Fuel Effect	Heat Output	Efficiency
634-680	Small	Black Glass	Logs	1.00 - 2.00kW	99%
634-733	Midi	Black Glass	Logs	1.00 - 2.00kW	99%
634-795	Medium	Black Glass	Logs	1.00 - 2.00kW	99%

Dimensions (mm)					
	А	В	С	Weight	
Small	370	555	297	24kg	
Midi	415	604	317	28kg	
Medium	535	676	363	38kg	



RADIANCE ELECTRIC FIRES



The very latest addition to grace the Gazco Electric range, the Radiance series brings together stylish design and advanced flame technology to create an electric fire with mesmerising effects.

Offering a captivating, realistic flame picture in a choice of effects and colours, this designer fire is available in either wall mounted or inset versions, as well as a variety of sizes and styling options for optimal versatility. A choice of beautiful frames and eye-catching fuel effects allow for individual tailoring to your décor – radiating the utmost sophistication and style.

Featuring our state of the art Chromalight[™] LED technology, some fires in the Radiance series incorporate a 12 colour chromotherapy backlighting system, letting you bask in the serenity of a soothing, gradually changing colour spectrum or using the handset, immerse yourself in your favourite aura – at the touch of a button.





For more information on the full Radiance range or other Gazco products, please contact your local retailer or visit **www.gazco.com**





Gazco Limited, Osprey Road, Sowton Industrial Estate, Exeter, Devon, England EX2 7JG

Tel: 01392 261900 · Fax: 01392 444148 · Export Sales: 00 44 1392 261990 · Email: info@gazco.com

www.gazco.com

Gazco pursue a policy of continuous product improvement, therefore, whilst our products are correct at the time of the photography, we reserve the right to make alterations and amendments. Exact product details should be discussed with your retailer at the time of purchase.

Paper sourced from sustainable forests and printed using vegetable based inks • © All material copyright Gazco Ltd 2016 E & O E • A member of the Stovax group



Other product brochures from the Gazco family which may be of interest to you can be downloaded from our website www.gazco.com