





A Warm Welcome

Nothing creates an inviting atmosphere quite like a Gazco fire. The focal point of any home, they add warmth and character to a room or living space — with or without a chimney.

Whether you want an up-to-the-minute, contemporary look or have your heart set on a more traditional fireplace, the Riva2 and Eclipse fires offer stunning flame visuals and versatile styling options, instantly adding an eye-catching centrepiece to your interior.



Riva2 Fires (page 6)

Riva2 500 & 750HL10



Riva2 Styling Options8
Riva2 500 & 750HL Edge12
Riva2 500 & 750HL Evoke Glass14
Riva2 500 & 750HL Evoke Steel16
Riva2 500 & 750HL Verve XS18
Riva2 500 & 750HL Icon XS20
Riva2 500 Ellingham22

Riva2 530 & 67024



Riva2	530	& 670	Designio2 Glass	26
Riva2	530	& 670	Designio 2 Steel	28
Riva2	530	& 670	Evoke Glass	30
Riva2	530	& 670	Evoke Steel	32
Riva2	530	& 670	Verve	34
Riva2	530	& 670	Ellingham	36
Riva2	670	Verve >	XS	38
Riva2	F670) Stove	S	40

Eclipse Fires (page 58)

Eclipse58



Eclipse	Edge	60
Eclipse	Expression	62
Eclipse	Verve XS	64
Eclipse	Icon XS	66

Riva2 800 & 1050.....42



Riva2	800	δ	1050	Edge	44
Riva2	800	&	1050	Icon XS	46
Riva2	800	δ	1050	Sorrento	48

Riva2 Stone Mantels.....50



Other Fires by Gazco68



Gazco Studio Fires	68
Gazco Electric Fires	70
Technical Information	73



Relax - it's a Gazco Fire...

When you choose Gazco, quality and innovative technology are assured. From traditional models to contemporary designs, Gazco is committed to creating the ultimate flame-effect gas and electric fires.

Our research and development laboratories are amongst the most advanced in the world, ensuring that the very latest innovations are incorporated into our appliances.

Gazco is an ISO9001 accredited company. Our rigorous quality control system ensures that all our appliances comply with British safety standards as well as stringent European regulations. All fires in this brochure are CE marked. This means they have been independently tested to exacting European standards for safety as well as both heating efficiency and emissions.

Warranty

Your Gazco Expert Retailer will provide you with a Two Year
Warranty for your new gas fire. This can be extended to a
Five Year Warranty by registering your fire with Gazco. Please
note, these warranties exclude certain consumable parts. Fires
purchased outside of Gazco's Expert Retailer Network will carry
a standard 1 Year non-extendable Warranty. Full warranty terms and conditions
are available to view at www.gazco.com.

Expert Retailer Network

We take great care to ensure that our fires are designed, tested and manufactured to the highest possible quality and safety standards.

We are equally careful to make certain they are sold and installed correctly so you can enjoy years of pleasure from your fire. Our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design, and ensure that you select the most appropriate product for your home.

Our experienced retailers will also be able to advise on, or assist with, the installation process as well as help provide any after-sales support and servicing your appliance may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from purchasing the product only online and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Furthermore, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.



Riva2 Fires

Our prestigious range of Riva2 fires combines stylish aesthetics with the high levels of performance you would expect from Gazco. Choose from a selection of portrait and landscape fires along with a wide variety of styling options to create the perfect Riva2 for your home.





Riva2 670 Designio2 Steel in Graphite with Black Glass lining shown with Rovere Wood Effect Fireplace Surround Tiles

Riva2 500 & 750HL Riva2 530 & 670 Riva2 800 & 1050 Riva2 500 Riva2 750HL Riva2 530 Riva2 800 Riva2 1050 Riva2 670 Choice of Fuel Bed: / **Choice of Linings:** Fluted Vermiculite Ledgestone-effect **Installation Type:** Hearth Mounted Installation Timer and Thermostat Programmable Remote Dual Burner Control Glass Fronted High Efficiency Natural Gas or LPG Wide Selection of Frames Frameless 'Edge' Option Conventional Flue n/a n/a ODS safety device* Balanced Flue Firebox Relief Venting System [△] Additional air vent required X[◊] Conventional Flue Maximum Heat Output 4.80kW 7.00kW 5.40kW 5.60kW 7.98kW 7.98kW

Realistic Logs

Brick-effect

Vermiculite

Black Reeded Black Glass

Wall Installation

Key Features:

Balanced Flue

Maximum Efficiency

82%

Riva2 500 & 750HL (pages 10 - 23)

Specifically proportioned to fit a standard 22" and 36" wide British fireplace, offering you greater opportunity to introduce a stunning gas fire into your home with complete ease of installation.

Riva2 530 & 670 (pages 24 - 41)

Offering you extensive and exciting options to help you create the perfect look for your home and taste, both the portrait 530 and the landscape 670 have an impressive heat output of up to 5.6kW, fully operated via a Programmable Thermostatic remote.

Riva2 800 & 1050 (pages 42 - 49)

These impressive fires have been developed with a new dual-burner engine that offers a greater operational range, allowing you to select the heat output and flame visual to really suit your mood. There are many styling options available, from our classical stone mantels to the more contemporary frameless hole-in-the-wall look Edge.

Riva2 Stone Mantels (pages 50 - 57)

A stunning collection of timeless stone mantels, each one crafted in your choice of Natural Limestone or Antique White Marble, the perfect complement to many of the Riva2 fires and the ideal way to add a more traditional fireplace setting into your home.

^{*} ODS (Oxygen Depletion Sensor) - This Conventional Flue safety feature will shut off the gas supply to the burner in the event of a reduction to oxygen levels in the room.

 $[\]Delta$ All Gazco Balanced Flue fires have relief vents in the firebox ensuring compliance with EN 613:2001 for delayed ignition safety standards.

 $^{^{\}lozenge}$ The Riva2 500, 800 & 1050 Balanced flue fires can be installed into a conventional chimney by using the optional Riva2 Renovation Kit.

Riva2 Styling Options

There are a wealth of frame choices available to perfectly complement your Riva2 fire, outlined on these pages and shown in detail throughout the brochure. Each one of these frames offers a unique styling possibility and is crafted from the very finest materials.

Whether your tastes lie with the contemporary or the traditional, you can find a Riva2 frame to suit your interior. Options include a stunning, frameless 'hole in the wall' look, sleek glass and steel finishes, striking colour options and a wealth of hand-crafted stone mantels; ensuring that whatever your style preference, there is a Riva2 fire for you.

Frame	Riva2 500	Riva2 750HL	Riva2 530	Riva2 670	Riva2 800	Riva2 1050
Edge	✓	√	X	X	✓	✓
Icon XS	✓	1	Х	Х	√	1
Ellingham	✓	×	√	√	×	Х
Verve XS	✓	✓	X	✓	Х	×
Verve	Х	Х	✓	✓	Х	×
Evoke Steel	✓	/	√	✓	×	×
Evoke Glass	✓	1	√	✓	Х	×
Designio2 Steel	Х	×	✓	1	Х	×
Designio2 Glass	Х	Х	✓	✓	×	×
Sorrento	Х	×	×	Х	✓	1
Stone Mantels	/ *	/ *	/ *	Х	/ *	Х

^{*}Requires additional slip sets or back panels. The Riva2 750HL and 800 slip sets are available from Gazco. Bespoke sourcing will be required for other fires.

Sorrento



Graphte Granite or Natural Limestone

Stone Mantels - see pages 50 - 57



The Riva2 500, 530, 750HL & 800 are versatile fires that can be installed into both contemporary and more traditional interiors. Gazco's collection of six high quality stone mantels and hearths, with additional slip sets or backing panels, will complement these fires to ensure a grand finish and a timeless fireplace for your home.

Edge (Frameless)



Icon XS



Black Glass

Elllingham



Matt Black Cast Iron

Verve XS



Graphite

Evoke Steel



Graphite front and rear

Evoke Glass (Black Glass)



Ivory front with Graphite rear

Metallic Red

Graphite rear

Metallic Bronze

Graphite rear

front with

front with



Black Glass front with Metallic Bronze rear

Black Glass front

with Metallic

Red rear



Black Glass front with Ivory rear

Evoke Glass (White Glass)



White Glass front and Graphite rear



White Glass front with Ivory rear

White Glass front

White Glass front

with Metallic

with Metallic

Bronze rear

Red rear

Designio2 Steel



Graphite



Iridium

Designio2 Glass

Black Glass front and Graphite rear



Black Glass

Verve



Graphite

Metallic Red





Ivory

Riva2 500 & 750HL

Thoughtfully designed to fit into standard 22" and 36" British fireplace openings, the Riva2 500 and the larger Riva2 750HL usher in a new era of gas fires. With their highly realistic log effect fuel beds complemented by a wide choice of striking frames, mantels and lining options, these outstanding fires can be perfectly tailored to your home's décor.







Riva2 500

Offering up to 4.8kW of high efficiency heat output, the Riva2 500 will provide cosy warmth for those cold winter evenings as well as the ambiance of a highly realistic log-effect fire with glowing ember bed. The Riva2 500 also comes with a Programmable Thermostatic remote to give you complete control over the fire from your sofa.

Riva2 750HL

The Riva2 750HL provides up to 7kW of heat, making it ideal for heating larger spaces efficiently, all fully controlled with the Programmable Thermostatic remote control. Designed to fit into a standard 36" chimney opening, the Riva2 750HL allows homeowners to make the most of their existing fireplace, featuring non-reflective glass for a flawless open-fire appearance and crystal clear view of the rolling flames complemented by a wide range of frame styling options, the 750HL ensures a designer statement in every setting.

Lining Options

To enhance your styling possibilities and ensure you can achieve a look that will best suit you and your home, Gazco has developed a range of lining options, each providing an entirely different aesthetic for the stunning log-effect fire. Opt for the glamorous Black Reeded lining, the classic Brick-effect, the natural Ledgestone-effect, the depth-enhancing Black Glass or the light and contemporary Vermiculite which also includes an attractive fluting detail on 750HL models.



Brick-effect*



Black Reeded



Vermiculite Riva2 500 only




Black Glass



Ledgestone-effect



Fluted Vermiculite Riva2 750HL only





Frame Options (see pages 8 - 9)

Choose from the contemporary styling of the 'Edge' with its clean, frameless design for that 'hole in the wall' look or alternatively opt for one of Gazco's distinctive frames to extend your styling possibilities. Ranging from the shining Black Glass of the Icon XS, to the subtle curves of the Verve XS, each frame is designed to create a real presence in your home and to complement your own individual tastes.

Remote Control

Both the Riva2 500 & Riva2 750HL come with a Programmable Thermostatic remote control, sporting a number of impressive settings; you can set your fire to thermostatically maintain a specific room temperature of your choosing, or you can programme your fire to a daily or weekly timer schedule for the ultimate in ease and convenience.





Riva2 500 & 750HL Edge









The frameless aesthetic of the Riva2 500 & 750HL Edge allows you to create a chic, minimalist look whilst simultaneously bringing focus to the beautiful flames of these highly efficient gas fires.

The simple, clean lines of a 'hole-in-the-wall' fire can be further enhanced by creating a feature wall using Gazco's carefully selected range of fireplace tile surround packages. This contemporary collection of porcelain and natural stone tiles are the perfect complement to the modern aesthetics of the Edge.

For a more traditional look, the Edge models can also be paired with one of Gazco's elegant classic stone mantels, see pages 50 - 57 for details.

Fuel Bed Logs

Linings
Vermiculite (500)
Fluted Vermiculite (750HL)
Brick-effect
Black Reeded
Black Glass
Ledgestone-effect

Command ControlsProgrammable Thermostatic remote



Fire Choices	Efficiency	Heat Output	Dimensions [^] w x h (mm)
Riva2 500 - Conventional Flue	75%	4.80kW	550 x 388
Riva2 500 - Balanced Flue	82%	4.80kW	550 x 388
Riva2 750HL - Conventional Flue	80%	7.00kW	797 x 713
Riva2 750HL - Balanced Flue	80%	6.72kW	797 x 713

 Δ Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see pages 76 - 77.



The Riva2 500 & 750HL Edge models can be combined with a choice of Gazco's high quality stone mantels - see pages 50 - 57 for details.

Riva2 500 & 750HL Evoke Glass







The Evoke Glass combines a layer of stunning reflective glass with a sleek, steel background to create a sophisticated, contemporary frame. Available with a glossy black or white glass front, the steel rear section can be finished in Graphite or one of the three additional colours to create greater contrast.

With three stylish lining options, the Evoke Glass allows you to match your fire to your interior tastes for a truly bespoke finish.

Front Finishes

Black Glass White Glass

Rear Finishes

Graphite
Metallic Red
Metallic Bronze
Ivory

Linings

Vermiculite (500) Fluted Vermiculite (750HL) Brick-effect

Black Reeded Black Glass

Ledgestone-effect

Fuel Bed

Logs

Command Controls

Programmable
Thermostatic remote



Fire Choices	Efficiency	Heat Output	Dimensions ^Δ w x h x d (mm)
Riva2 500 - Conventional Flue	75%	4.80kW	869 x 710 x 40
Riva2 500 - Balanced Flue	82%	4.80kW	869 x 710 x 40
Riva2 750HL - Conventional Flue	80%	7.00kW	1117 x 1034 x 42
Riva2 750HL - Balanced Flue	80%	6.72kW	1117 x 1034 x 42

 Δ Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see pages 76 - 77.

Additional image of the Riva2 500 Evoke Glass is shown on page 5.





Riva2 500 & 750HL Evoke Steel







Focusing purely on sharp, strong definition, the Evoke Steel is a beautiful two-part design with a graphite back that boldly frames the complementing graphite front. You can increase your styling options even further with three vibrant colour choices for the front: Metallic Red, Metallic Bronze or Ivory. These exciting colour options, matched with the graphite rear, produce an eye-catching contrast that is sure to provide a striking focal point in your home.

Front Finishes

Graphite Metallic Red Metallic Bronze Ivory

Rear Finishes

Graphite

Linings

Vermiculite (500)
Fluted Vermiculite (750HL)
Brick-effect
Black Reeded
Black Glass

Ledgestone-effect

Fuel Bed

Logs

Command ControlsProgrammable
Thermostatic remote



Fire Choices	Efficiency	Heat Output	Dimensions $^{\Delta}$ w x h x d (mm)
Riva2 500 - Conventional Flue	75%	4.80kW	869 x 710 x 40
Riva2 500 - Balanced Flue	82%	4.80kW	869 x 710 x 40
Riva2 750HL - Conventional Flue	80%	7.00kW	1117 x 1034 x 42
Riva2 750HL - Balanced Flue	80%	6.72kW	1117 x 1034 x 42

 Δ Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see pages 76 - 77.

Riva2 500 & 750HL Verve XS









A contemporary frame with unmistakeable flair, the Verve XS, with its horizontal curve and smart graphite finish, balances the traditional aesthetics of these highly realistic log-effect fires with contemporary styling.

Your Riva2 Verve XS can be tailored to your tastes by choosing from one of five distinctively different fire linings in Brick-effect, Vermiculite, Black Reeded, Black Glass or Ledgestone-effect. You can further customise your fire by choosing one of the three additional colour options for your frame; Metallic Red, Metallic Bronze or Ivory.

Colour Choice

Graphite
Metallic Red
Metallic Bronze
Ivory

Linings

Vermiculite (500)
Fluted Vermiculite (750HL)
Brick-effect
Black Reeded
Black Glass
Ledgestone-effect

Fuel Bed Logs

Command Controls

Programmable
Thermostatic remote



Fire Choices		Efficiency	Heat Output	Dimensions ^A w x h x d (mm)
Riva2 500 - Conventional Flue	X	75%	4.80kW	890 x 621 x 57
Riva2 500 - Balanced Flue	X	82%	4.80kW	890 x 621 x 57
Riva2 750HL - Conventional Flue		80%	7.00kW	1202 x 1005 x 54
Riva2 750HL - Balanced Flue		80%	6.72kW	1202 x 1005 x 54

 Δ Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see pages 76 - 77.



TITTE SHEET TO THE STREET TO T





Riva2 500 & 750HL Icon XS







A frame with real impact, the Icon XS makes a bold statement with its sleek, black reflective surfaces and clean, geometric design. At home in both modern and more traditional interiors, the Icon XS adds a touch of grandeur to your Iiving space and enhances the stunning visuals of your Riva2 fire.

You can customise your fire by selecting from one of our five lining choices, each offering a different setting in which to display the beautiful flames and warming ambiance conjured by the hand-finished logs.

FinishBlack Glass

Linings
Vermiculite (500)
Fluted Vermiculite (750HL)
Brick-effect
Black Reeded
Black Glass
Ledgestone-effect

Fuel Bed Logs

Command ControlsProgrammable
Thermostatic remote



Fire Choices	Efficiency	Heat Output	Dimensions $^{\Delta}$ w x h x d (mm)
Riva2 500 - Conventional Flue	75%	4.80kW	855 x 694 x 17
Riva2 500 - Balanced Flue	82%	4.80kW	945 x 784 x 17
Riva2 750HL - Conventional Flue	80%	7.00kW	1089 x 1015 x 17
Riva2 750HL - Balanced Flue	80%	6.72kW	1089 x 1015 x 17

 Δ Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see pages 76 - 77.





Riva2 500 Ellingham









Crafted from cast iron, the Ellingham front is a surround option designed for hearth mounted installations of the Riva2 500.

With cast detailing, the Ellingham adds a touch of grace and elegance to Gazco's range of smaller, but high efficiency, glass fronted Riva2 fires. Although classic in style, the Ellingham will sit equally at home in both modern and traditionally styled interiors, with a matt black finish to offset the highly realistic log effect and choice of either Brick-effect, Vermiculite, Black Reeded, Ledgestone-effect or Black Glass lining options.

FinishMatt Black Cast Iron

Linings
Vermiculite
Brick-effect
Black Reeded
Black Glass
Ledgestone-effect

Fuel Bed

Logs

Command ControlsProgrammable
Thermostatic remote



Fire Choices		Efficiency	Heat Output	Dimensions $^{\Delta}$ w x h x d (mm)
Riva2 500 - Conventional Flue	X	75%	4.80kW	885 x 678 x 75
Riva2 500 - Balanced Flue	×	82%	4.80kW	885 x 678 x 75
Riva2 500 - Balanced Flue		82%	4.80kW	885 x 678 x 75

 Δ Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see page 76.

An additional image of the Ellingham 500 with Black Reeded lining is shown on page 76.



modern and traditional frames and lining options, enabling you to create the perfect look for your home.

High Efficiency Gas Fires

With their glass-fronted design, Riva2 530 and 670 fires not only offer exceptional design, but also outstanding efficiencies of up to 82%. This high thermal efficiency ensures that over 5kW of comforting heat is delivered into your living space, creating a wonderful warming ambiance.

Framing Options (see pages 8 - 9)

There is an extensive choice of frames available for the Riva2 530 and 670 fires and several come with a number of additional colour finishes to create your own individual look. Choose from the designer curves of the 3D Verve and Verve XS frames, the Evoke Glass or Evoke Steel with their stunning layered composition and wide range of styling possibilities, the subtle detailing of the sophisticated Designio2 Glass and Designio2 Steel or the Neo-Georgian inspired Ellingham with its high-quality cast iron details.

Lining Options

To create a truly bespoke look that is just right for you, there is a choice of four stylish linings, each designed to offer a different look for the outstandingly realistic log-effect fire. Choose from the, chic Vermiculite, smart Black Reeded, classic Brick-effect or the highly reflective Black Glass lining, all of which form a unique complement to the attractive Riva2 530 and 670 fires.



Vermiculite Lining



Black Reeded Lining



Brick-effect Linina



Black Glass Lining



Simple Installation

The Riva2 530 and 670 are both compatible with our optional linerless flue kit. At just 0.5 metres long, this short piece of flexible, stainless steel flue pipe and debris deflector has been specifically designed to be slotted into your masonry chimney. This eliminates the need for the chimney to be fully lined and any associated labour, facilitating a simpler and more cost effective installation.

Remote Control

Supplied as standard with your Riva2 530 or 670 fire, this multi-function Programmable Thermostatic remote enables ignition, extinguish and flame control alongside advanced thermostatic and timer programming functions. Whether you decide to set a daily or weekly programme or simply prefer to maintain a desired room temperature, your gas fire can provide a warming welcome, every time you return home.





Riva2 530 & 670 Designio2 Glass





Riva2 530 Designio2 Glass with Vermiculite lining

The Designio 2 Glass frame has smart, reflective black surfaces with subtle detailing and clean lines. It is a sophisticated front for both the portrait dimensions of the Riva2 530 and the landscape shape of the Riva2 670 and its simple, chic design will complement a wide array of interiors.

Combined with your choice of the four linings available in Brick-effect, Vermiculite, Black Glass or Black Reeded, the Designio 2 makes for a glamorous addition to your home.

The Riva2 530 and 670 are both compatible with our linerless flue kit for a simplified installation. Please see page 75 for further information. This stunning fire can also be hearth-mounted for installation into a traditional fireplace opening.

Fir	ish	
-		

Linings Vermiculite Black Glass Brick-effect Black Reeded Black Glass

Fuel Bed Logs

Command Controls Programmable Thermostatic remote



Fire Choices Efficiency Heat Dimensions ^A Output w x h x d (mm)Riva2 530 - Conventional Flue 75% 5.1kW 608 x 704 x 40 Riva2 530 - Balanced Flue 82% 5 4kW 608 x 704 x 40 Riva2 670 - Conventional Flue 75% 5.1kW 735 x 569 x 40 Riva2 670 - Balanced Flue 82% 5.6kW 735 x 569 x 40

A Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see pages 74 - 75.



The Riva2 530 Designio2 Glass can be combined with a choice of Gazco's high quality stone mantels - see pages 50 - 57 for details.

An additional image is shown on page 25.

Riva2 530 & 670 Designio2 Steel







The Designio2 Steel is a tasteful frame that has been thoughtfully shaped for the Riva2 530 and 670 and which sports a simple yet sophisticated design. Finished in a choice of stylish Graphite or smart Iridium, the Designio2 Steel offers you a complete focal point with a thoroughly contemporary and cutting edge look that will complement many interiors and decors.

The Riva2 530 and 670 are both compatible with our linerless flue kit for a simplified installation. Please see page 75 for further information.

Finishes
Graphite
Iridium

LiningsVermiculite
Brick-effect
Black Reeded
Black Glass

Fuel Bed Logs

Command ControlsProgrammable
Thermostatic remote



Fire Choices	Efficiency	Heat Output	Dimensions $^{\Delta}$ w x h x d (mm)
Riva2 530 - Conventional Flue	75%	5.1kW	608 x 704 x 38
Riva2 530 - Balanced Flue	82%	5.4kW	608 x 704 x 38
Riva2 670 - Conventional Flue	75%	5.1kW	735 x 569 x 38
Riva2 670 - Balanced Flue	82%	5.6kW	735 x 569 x 38

Δ Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see pages 74 - 75.



The Riva2 530 Designio2 Steel can be combined with a choice of Gazco's high quality stone mantels - see pages 50 - 57 for details.





Riva2 530 & 670 Evoke Glass







The Evoke Glass is an eye-catching frame with two seperate layers of stunning reflective glass and sophisticated steel. Choose from a luxurious black or white glass front to complement the bevelled rear steel section in Graphite or optional vibrant Metallic Red, Metallic Bronze and Ivory finishes.

Four chic lining options, add numerous styling possibilities to the Riva2 530 and 670, enabling you to create a truly bespoke fire for your home.

Front Finishes

Black Glass White Glass

Linings

Vermiculite
Brick-effect
Black Reeded
Black Glass

Rear Finishes

Graphite
Metallic Red
Metallic Bronze

Ivory

Command Controls

Programmable
Thermostatic remote

Fuel Bed

Logs



Fire Choices	Efficiency	Heat Output	Dimensions $^{\Delta}$ w x h x d (mm)
Riva2 530 - Conventional Flue	75%	5.1kW	795 x 752 x 40
Riva2 530 - Balanced Flue	82%	5.4kW	795 x 752 x 40
Riva2 670 - Conventional Flue	75%	5.1kW	920 x 622 x 40
Riva2 670 - Balanced Flue	82%	5.6kW	920 x 622 x 40

 Δ Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see pages 74 - 75.

The Riva2 530 and 670 are both compatible with our linerless flue kit for a simplified installation. Please see page 25 for further information.



Riva2 530 & 670 Evoke Steel









The Evoke Steel is a stunning, two-part design that blends expertly into modern interiors. The front face of this frame comes in a stylish Graphite finish with the option for customisation in one of three exciting additional colour choices. The attractive bevelled rear is left in Graphite to perfectly complement the standard finish on the front or form a contrasting border to any of the bold colour choices. With a Programmable Thermostatic remote control and high efficiency heat output, the Riva2 Evoke steel is as impacting in its functionality as it is in its designer aesthetics.

Front Finishes	Linings	Fuel Bed
Graphite	Vermiculite	Logs
Metallic Red	Brick-effect	
Metallic Bronze	Black Reeded	Command Controls
lvory	Black Glass	Programmable Thermostatic remote
Rear Finishes		
Graphite		

Also see image on page 24.

	Efficiency	Heat Output	Dimensions $^{\Delta}$ w x h x d (mm)
Riva2 530 - Conventional Flue	75%	5.1kW	795 x 752 x 40
Riva2 530 - Balanced Flue	82%	5.4kW	795 x 752 x 40
Riva2 670 - Conventional Flue	75%	5.1kW	920 x 622 x 40
Riva2 670 - Balanced Flue	82%	5.6kW	920 x 622 x 40

 Δ Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see pages 74 - 75.

The Riva2 530 and 670 are both compatible with our linerless flue kit for a simplified installation. Please see page 25 for further information.

Riva2 530 & 670 Verve









The stylish Verve is a 3D frame designed to create maximum impact in your home. Designed with a gentle curving form that can be appreciated from all angles, the Verve is available in sophisticated Graphite or can be tailored to your room with one of Gazco's vibrant colour finishes: Metallic Red, Metallic Bronze or Ivory to create an even stronger style statement.

A Riva2 Verve can be further styled with a choice of four lining options to complement the beautiful log-effect fire.

|--|

Graphite Metallic Red Metallic Bronze Ivory

Linings

Vermiculite
Brick-effect
Black Reeded
Black Glass

Fuel Bed

Logs

Command Controls

Programmable
Thermostatic remote



Fire Choices	Efficiency	Heat Output	Dimensions $^{\Delta}$ w x h x d (mm)
Riva2 530 - Conventional Flue	75%	5.1kW	690 x 835 x 59
Riva2 530 - Balanced Flue	82%	5.4kW	690 x 835 x 59
Riva2 670 - Conventional Flue	75%	5.1kW	1325 x 621 x 57
Riva2 670 - Balanced Flue	82%	5.6kW	1325 x 621 x 57

 Δ Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see pages 74 - 75.

The Riva2 530 and 670 are both compatible with our linerless flue kit for a simplified installation. Please see page 25 for further information.



Riva2 530 & 670 Ellingham







Continuing on from the Riva2 500, the Ellingham is also a handsome cast iron addition to the Riva2 530 and 670 frame range. Although classic in its nature, the Ellingham sits equally well in both traditional and contemporary interiors, and its Matt Black finish contrasts with the beauitful flame picture within.

The Riva2 530 and 670 are both compatible with our linerless flue kit for a simplified installation. Please see page 25 for further information.

Matt Black Cast Iron

Linings

Vermiculite Brick-effect Black Reeded Black Glass

Fuel Bed

Logs

Command ControlsProgrammable

Thermostatic remote



Fire Choices	Efficiency	Heat Output	Dimensions ^A w x h x d (mm)
Riva2 530 - Conventional Flue	75%	5.1kW	815 x 759 x 75
Riva2 530 - Balanced Flue	82%	5.4kW	815 x 759 x 75
Riva2 670 - Conventional Flue	75%	5.1kW	940 x 627 x 75
Riva2 670 - Balanced Flue	82%	5.4kW	940 x 627 x 75

 Δ Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see pages 74 - 75.





Riva2 670 Verve XS









Specifically designed for the Riva2 670, the Verve XS offers the same subtly curving form of the standard Verve frame but with narrower proportions to suit narrower walls or spaces.

The Verve XS comes in smart Graphite or can be finished in one of three striking additional colour options to suit your interior tastes. The highly realistic fire is enhanced by Gazco's stunning glowing ember bed, offering all the ambiance of a real log flame in the modern convenience of a high efficiency gas fire.

Finis	shes
Grap	hite
Meta	Ilic Red
Meta	Ilic Bronze
Ivory	

Linings
Vermiculite
Brick-effect
Black Reeded
Black Glass

Fuel Bed Logs Command Controls Programmable

Thermostatic remote

M	Ŗ,
100	ä
B	
	2

Ot	utput w	x h x d (mm)
Riva2 670 - Conventional Flue 🔞 75% 5	.1kW 100	0 x 621 x 56
Riva2 670 - Balanced Flue 🔞 82% 5	.6kW 100	0 x 621 x 56

 Δ Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see pages 74 - 75.

The Riva2 670 is compatible with our linerless flue kit for a simplified installation. Please see page 25 for further information.

Gas Riva2 F670 Stoves







Combining exceptional aesthetics with the latest gas fire innovations, the Riva2 F670 provides a high level of heating performance and efficiency.

The F670's realistic log effect fire is complimented by a choice of linings including classic Brick-effect, contemporary Vermiculite, elegant Black Reeded, and depth-enhancing reflective Black Glass - allowing you to customise your stove to your personal tastes.

Riva2 F670 Stoves are offered in Glass or Steel fronted versions, as well as a host of mounting choices including stand, bench or hearth options. For more information see the Gazco Gas & Electric Stoves brochure.

FinishBlack Glass
Graphite

Linings
Vermiculite
Brick-effect
Black Reeded
Black Glass

Fuel Bed Logs

Command ControlsProgrammable
Thermostatic remote



Fire Choices		Efficiency	Heat Output	Dimensions $^{\Delta}$ w x h x d (mm)
Riva2 F670 - Conventional Flue	X	75%	5.1kW	738 x 572 x 385
Riva2 F670 - Balanced Flue	×	82%	5.6kW	738 x 572 x 385

 Δ Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see the separate Gazco Gas & Electric Stoves brochure.

To view the Gazco stoves brochure, simply scan this QR code, visit **www.gazco.com** or speak to your local Gazco retailer.







Riva2 800 & 1050

The Riva2 800 & 1050 take large format gas fires to a new level with high efficiency heating and striking designer aesthetics. Available with a choice of styling options, the Riva2 800 is also compatible with Gazco's collection of six beautifully crafted, classic stone mantels.



Stunning Flame Visuals...

An enticing focal point for your home, both the Riva2 800 and 1050 offer incredible flame visuals that deliver all the ambiance of a solid fuel fire. At the cutting-edge of fire design, the advanced dual burner system gives you the option to choose between using one or two burners, allowing you to create your perfect atmosphere and heat output. Both models feature a glowing ember fuel bed and non-reflective glass for a flawless, open fire aesthetic.

Convected heat enters the room through high level vents which are incorporated into your installation, providing cosy ambiant heating throughout your living space.

Frame Options (see pages 8 - 9)

The Riva2 800 & 1050 come with a number of styling and frame options designed to enhance the impressive dimensions of these fires. Choose from the minimalist styling of the frameless Edge, or frames such as the lcon XS with a highly reflective Black Glass finish.

For hearth mounted installations, the graceful proportions of the Sorrento stone surround enables you to recreate a style reminiscent of a traditional fireplace whilst still maintaining a thoroughly contemporary look for your living space. Choose from in either Graphite Granite or Natural Limestone.

For an altogether more traditional look, pair your Riva2 800 with one of six timeless and elegant stone mantels, expertly blending classical fireplace styling with the very latest in heating design and technology.

Lining Options

To further tailor your Riva2 800 or 1050 to your own setting, there is a choice of two stylish linings, each designed to offer a completely different look. Choose from the timeless Black Reeded lining for a more classic look or opt for the Vermiculite lining which enhances the fire's glow.



Black Reeded Lining



Vermiculite Lining



Remote Control

Riva2 800 & 1050 fires come complete with a state-of-the-art Programmable Thermostatic remote control as standard. This allows remote operation of everything from ignition to extinguish as well as incorporating the benefits of a programmable timer and thermostat. Both fires also come complete with a flat Touch Control panel that can be discreetly wall mounted up to 2.5 metres away from the fire, allowing you to ignite, extinguish and control the flame height manually if you choose.



Programmable Thermostatic Remote and Flat Touch Control Panel

Riva2 800 & 1050 Edge









Developed for those who want the visual impact and heat of a blazing log fire with all the ease of gas, the Riva2 800 & 1050 Edge offers high efficiency in a frameless design. With advanced dual burners to give you complete control, you can create the perfect flame visuals to suit your mood.

The frameless look allows you to create a more minimalist décor, to which tiles or wall colours and finishes can be added to maximise the overall impression of depth and space. Gazco offers a range of fireplace tile surround packages to complement the Riva2 Edge fires.

Although the Riva2 800 & 1050 are available as balanced flue fires, they can be installed into a conventional chimney by using the optional Riva2 renovation kit. Details of this can be found on page 79.



The Riva2 800 Edge models can be combined with a choice of Gazco's high quality stone mantels - see pages 50 - 57 for details.

Fire Choices		Efficiency	Heat Output	
Riva2 800 - Balanced Flue	X	84%	7.98kW	870 x 760
Riva2 1050 - Balanced Flue	X	84%	7.98kW	1142 x 552

 $\Delta \textit{ Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in$ the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see pages 78 - 79.

Fuel Bed	Linings	Command Controls
Logs	Vermiculite Black Reeded	Programmble Thermostatic remote





Riva2 800 & 1050 Icon XS







The Icon XS is a truly awe-inspiring frame and the perfect complement to the large format Riva2 800 & 1050 fires. Iconic in both name and nature, this luxuriant frame is designed to make an impact. The resplendent, highly reflective Black Glass and clean geometric lines offers unrivalled flair and elegance blending seamlessly with your own decorative tastes.

The Riva2 800 & 1050 have a heat output of up to 7.98kW. The crystal clear non-reflective glass window offers an uninterrupted view of the stunningly realistic logs with innovative glowing ember effect fuel bed, whilst the Programmable Thermostatic remote control provides the finishing touch - perfect comfort at just the touch of a button.

Fire Choices	Efficiency	Heat Output	Dimensions $^{\Delta}$ w x h x d (mm)
Riva2 800 - Balanced Flue	84%	7.98kW	1173 x 1068 x 24
Riva2 1050 - Balanced Flue	84%	7.98kW	1443 x 861 x 24

Δ Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see pages 78 - 79.

Additional image of the Riva2 1050 Icon XS is shown on page 42.

F	in	is	h	
D	اما	al.	CI	

Fuel Bed Logs Black Glass

Linings

Vermiculite Black Reeded

Command Controls Programmable Thermostatic remote





Riva2 800 & 1050 Sorrento









The Sorrento surround has been designed to provide a contrast between the timeless beauty of natural stone and the advanced technology of the Riva2 800 & 1050. The simple lines of the surround provide the perfect frame to the warming glow of the highly realistic log fire, to establish a true focal point in your room.

Operation is impressive too, with all functions operated by the fully Programmable Thermostatic remote control.

Although the Riva2 800 & 1050 are available as balanced flue fires only, they can be installed into a conventional chimney by using the optional Riva2 renovation kit. Details of this can be found on page 79.

Finishes				
Natural Limestone				
Graphite Granite				

Fuel Bed Logs **Linings**Vermiculite
Black Reeded

Command ControlsProgrammable
Thermostatic remote



Fire Choices	Efficiency	Heat Output	Dimensions $^{\Delta}$ w x h x d (mm)
Riva2 800 Balanced Flue	84%	7.98kW	1260 x 1009 x 200
Riva2 1050 Balanced Flue	84%	7.98kW	1530 x 801 x 200

 Δ Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see pages 78 - 79.

Additional image of the Riva2 800 Sorrento is shown on page 43.





Traditional Style with a Modern Slant...

Gazco's collection of six high quality stone mantels and optional hearths are available in a choice of either Limestone or Antique White Marble, each piece truly unique by virtue of the naturally occurring veining, subtle tonal differences and indeed even small fossils that may be found in the limestone. Each mantel is a beautiful and natural complement to many of the high efficiency fires shown in this brochure and the perfect way to create a grand finish and a timeless fireplace in your home.






Limestone

Antique White Marble





Claremont





*Riva2 750HL & 800 slip sets are available from Gazco. Bespoke sourcing will be required for Riva2 500 slip sets or back panels for any other fires. Δ Overall visible dimensions upon installation. For more detailed information, including firebox dimensions, please see pages 78 - 82.



Sandringham

Victorian Corbel



Georgian Roundel



Cavendish Bolection



Grafton

(All the above images are shown with a Riva2 750HL fire and matching slip sets)

Riva2 Stone Mantels









In addition to the wide choice of frame styling options shown throughout this brochure, Gazco offer a selection of solid stone mantels to add some authentic period charm into your fireplace setting; each with a choice of six historic designs from Georgian and Victorian times, beautifully carved in your choice of natural Limestone or Antique White Marble.

Mantel Styles	Dimensions w x h (mm)	Opening Dimensions w x h (mm)
Claremont	1555 x 1143	915 x 915
Cavendish Bolection	1460 x 1320	915 x 915
Georgian Roundel	1460 x 1082	915 x 915
Grafton	1415 x 1165	915 x 915
Sandringham	1550 x 1220	915 x 915
Victorian Corbel	1525 x 1170	915 x 915

Stone Choices

Antique White Marble Limestone

Linings

Vermiculite (500 & 800)
Fluted Vermiculite (750HL)
Black Reeded (500, 750HL & 800)
Brick-effect (500 & 750HL)
Black Glass (500, 530 & 750HL)

Ledgestone-effect (500 & 750HL)

Fire Choices	Pages
Riva2 500 Edge	12 - 13
Riva2 530 Designio2 Glass	26 - 27
Riva2 530 Designio2 Steel	28 - 29
Riva2 750HL Edge	12 - 13
Riva2 800 Edge	44 - 45

For further details on the complementary hearth options and slip sets, please see page 80.





Riva2 Stone Mantels (continued)









With matching stone slip sets available, these impressive stone mantels have been specifically designed to complement the Riva2 750HL and Riva2 800 Edge fires. However, by incorporating a back panel of your choosing, these work equally well with the Riva2 500 Edge as well as the Riva2 530 fires when paired with the contemporary Designio2 Glass or Steel frames. Your styling options continue with a choice of distinctive lining options, allowing you to choose a look that will best suit you and your home.

Mantel Styles	Dimensions w x h (mm)	Opening Dimensions w x h (mm)
Claremont	1555 x 1143	915 x 915
Cavendish Bolection	1460 x 1320	915 x 915
Georgian Roundel	1460 x 1082	915 x 915
Grafton	1415 x 1165	915 x 915
Sandringham	1550 x 1220	915 x 915
Victorian Corbel	1525 x 1170	915 x 915

Stone	Choic	es	
Antique	White	Marble	

Linings

Vermiculite (500 & 800) Fluted Vermiculite (750HL) Black Reeded (500, 750HL & 800) Brick-effect (500 & 750HL) Black Glass (500, 530 & 750HL) Ledgestone-effect (500 & 750HL)

Fire Choices	Pages
Riva2 500 Edge	12 - 13
Riva2 530 Designio2 Glass	26 - 27
Riva2 530 Designio2 Steel	28 - 29
Riva2 750HL Edge	12 - 13
Riva2 800 Edge	44 - 45

For further details on the complementary hearth options and slip sets, please see page 80.

Riva2 Stone Mantels (continued)









The Riva2 stone mantel collection features the finest quality hand-finished craftsmanship and provide the ultimate in aesthetic and tactile appeal for your home. Paired with a high efficiency Riva2 fire, you can enjoy all the authentic charm of a highly realistic log-effect fire in a timeless mantel fireplace, fully operational from the comfort of your favourite armchair using the convenient Programmable Thermostatic remote control supplied.

Mantel Styles	Dimensions w x h (mm)	Opening Dimensions w x h (mm)
Claremont	1555 x 1143	915 x 915
Cavendish Bolection	1460 x 1320	915 x 915
Georgian Roundel	1460 x 1082	915 x 915
Grafton	1415 x 1165	915 x 915
Sandringham	1550 x 1220	915 x 915
Victorian Corbel	1525 x 1170	915 x 915

Stone Choices

Antique White Marble Limestone

Linings

Vermiculite (500 & 800)
Fluted Vermiculite (750HL)
Black Reeded (500, 750HL & 800)
Brick-effect (500 & 750HL)
Black Glass (500, 530 & 750HL)
Ledgestone-effect (500 & 750HL)

Fire Choices		Pages
	Riva2 500 Edge	12 - 13
	Riva2 530 Designio2 Glass	26 - 27
	Riva2 530 Designio2 Steel	28 - 29
	Riva2 750HL Edge	12 - 13
	Riva2 800 Edge	44 - 45

For further details on the complementary hearth options and slip sets, please see page 80.





Fabulous Frames & Flames

The very latest fire to adorn the Gazco range, the Eclipse 100 brings with it a series of new technological advancements that combine to create a high efficiency fire with truly awe-inspiring flame visuals. The generous firebox offers a highly realistic flame picture that flows through a hand-painted, ultra realistic log-effect fuel bed accentuated by mesmerising glowing embers. Offering a crystal clear view of the stunning flames, the Eclipse also features non-reflective glass for a flawless, open-fire aesthetic. Presented in a choice of three sophisticated frames as well a 'hole-in-the-wall' frameless Edge design, there is a contemporary style choice to suit all interiors.




Convenient Control

The Eclipse 100 also comes complete with a Programmable Thermostatic remote control as standard. Giving you full control over your fire, the handset operates everything from ignition to extinguish as well as integrated a programmable timer, temperature control and Gazco's convection fan air system from the touch of a button. The advanced dual-burner system also allows you to set your perfect atmosphere by selecting to use one or two burners, giving you total control over flame height and heat output.



Luxury Linings

Further extending its appeal and style options, the Eclipse 100 has two attractive lining choices - classic Black Reeded and smart Ledgestone-effect. The Black Reeded lining offers a striking contrast to the flickering flame, whilst the Ledgestone-effect, with its textured profile finish, brings a brighter, natural alternative that adds interest even when the fire is off. Each lining enhances the overall setting of your new Eclipse fire whilst providing their own unique and distinctive finish.









Eclipse Edge





Installed as a frameless 'Edge', the Eclipse 100 creates a breathtaking hole-in-the-wall focal point that lets the enticing flame picture take centre stage - perfect for any interior. With the tall, eager flames dancing through the wonderfully realistic log-effect fuel bed, the Eclipse 100 Edge is a statement in itself.

Fuel Bed Logs

LiningsBlack Reeded
Ledgestone-effect

Command Control

Programmable Thermostatic remote



Fire Choice	Efficiency	Heat Output	Dimensions $^{\Delta}$ w x h (mm)	
Eclipse 100 Edge, Balanced Flue		85%	9.35kW	1067 x 451

 Δ Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see page 73.

See additional image on page 58.

Eclipse Expression





The Eclipse Expression is a versatile frame that can fit in with a wide spectrum of interior styles. Available in Graphite or a choice of three stunning metallic colour options, the deep profile of the Expression frame has a smooth, geometric design which perfectly captures the large flame picture and realistic log-effect fuel bed. A perfect finish to an already incredible focal point.

Finishes

Graphite
Metallic Red
Metallic Bronze
Ivory

Fuel Bed

Logs

Linings

Black Reeded Ledgestone-effect

Command Control

Programmable
Thermostatic remote



Fire Choice

Efficiency

Heat Output **Dimensions** $^{\Delta}$ w x h x d (mm)

Eclipse 100 Expression, Balanced Flue

X

85%

9.35kW

1290 x 650 x 40

 Δ Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see page 73.

See additional image on page 83.





Eclipse Verve XS





For a slightly bolder style choice, the Eclipse Verve XS has a subtly curving 3D form which can be appreciated from all angles. Available in sophisticated Graphite or a choice of striking supplementary colours, the Verve XS really adds impact and accentuates the impressive Eclipse in your living room.

Finishes Graphite Metallic Red

Metallic Bronze lvory

Fuel Bed Logs

Linings Black Reeded Ledgestone-effect

Command Control Programmable Thermostatic remote



Fire Choice		Efficiency	Heat Output	Dimensions ^A w x h x d (mm)	
Eclipse 100 Verve XS, Balanced Flue		85%	9.35kW	1435 x 693 x 58	

 Δ Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see page 73.

See additional image on page 83.

Eclipse Icon XS





A truly magnificent and iconic design - the Eclipse Icon XS delivers in style with its lavish Black Glass frame. Surrounding the eye-catching flame and fuel-bed, the highly reflective Black Glass surfaces eschew any nod to traditional styling and instead places the emphasis purely on contemporary design.

FinishesBlack Glass

Fuel Bed

Logs

Linings

Black Reeded Ledgestone-effect **Command Control**Programmable
Thermostatic remote



Fire Choice

Efficiency
Output

Dimensions w x h x d (mm)

Eclipse 100 Icon XS, Balanced Flue

85%
9.35kW
1386 x 754 x 26

 Δ Dimensions given are those overall visible upon installation. Efficiency figures are based upon the maximum heat output achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, please see page 73.





Gazco Studio Fires









Gazco Studio fires combine stunning aesthetics, heating performance and versatile installation options to create a stylish, contemporary gas fire range suitable for a range of homes with or without a chimney.

Available as either Open or Glass Fronted fires, inset or freestanding as well as conventional or balanced flue models, the Studio range's striking flame visuals can be customised with the wealth of styling options offered.

Studio fires have a choice of fuel effects and lining options, depending on the model, which enhance the flames and let you customise your fire to your tastes. Fuel bed options include highly realistic log-effect for traditional wood fire ambience or ultra-contemporary white stones and glass beads, for a minimalist design statement. Providing a backdrop to the flames, there is also a choice of linings for many fires in the Studio range, including the luxurious, depth-enhancing Black Glass that mirrors the flames on each side.

As well as lining and fuel-effect choices, Inset Studio fires have a variety of frame options available, including a number of different styles in steel or glass, as well as various colours and finishes. These stunning frame options have all been designed specifically to complement this contemporary fire range and offer you a spectrum of different styling possibilities.

Further information about this exciting range can found in a separate, dedicated brochure which can be requested from your local retailer or viewed online at www.gazco.com.

To view the Gazco Studio Fires brochure, simply scan this QR code, visit **www.gazco.com** or speak to your local Gazco retailer.





Gazco Electric Fires







In addition to the wide selection of gas fires shown in this brochure, Gazco also offers an extensive array of highly realistic, stylish electric fires which are covered in separate dedicated brochures.

Offered in a wealth of styling options, these fires feature the very latest technology with realistic flames for a versatile and stunning focal point in any home - all without the need for a chimney!



Fires such as the latest Gazco Radiance combine stunning LED flame effects with mood enhancing lighting features, effortlessly setting the atmosphere thanks to their stylish Chromalight TM backlighting feature*.



Available in hang-on-the-wall, hearth mounted or frameless inset options, as well as a wide selection of contemporary frames and matching classic stone mantels; Gazco's cutting edge electric range has it all.



Whether you want to achieve a modern contemporary look or a more classic, traditional interior, the Gazco Electric Fires and Stoves brochure has the perfect solution whatever your style or budget.

To view the Gazco Electric Fires & Stoves brochures, simply scan this QR code, visit **www.gazco.com** or speak to your local Gazco retailer.



*Wall mounted Radiance fires only.



Your Home and Flue Requirements...

Conventional Flue

Conventional flue systems are for Gazco's Open Fronted and some Glass Fronted gas fires. They are easily recognisable as either a conventional brick or stone chimney, or as a pre-fabricated chimney system. Should your home have neither at present, it is usually possible to have a pre-fabricated system installed in your home if required.



Brick/Stone Chimney

The chimney stack rises well above the roofline and is topped by a traditional chimney pot or gas terminal. This type of chimney relies on the natural circulation of heated air to expel the products of combustion up your chimney.



Pre-fabricated Flues

(Class 1 & 2)

You will see a metal flue cowl on your roof. Some are all metal whilst others may terminate through a short rectangular pot (but without a chimney stack). These flues create the same circulation of heated air as a brick or stone chimney.

Balanced Flue

Balanced flues work in conjunction with Gazco's Glass Fronted gas fires only. The appliance is completely sealed from the room into which it is installed (so there are no draughts and heating efficiency is increased) and a twin-wall pipe vents directly to an outside wall.





Balanced Flue

(No chimney required)

Air for combustion is drawn in through the outer pipe whilst the inner pipe removes the combustion gases to the exterior of the property. Depending on the fire selected, the twin-walled pipe may exit horizontally through an external wall or vertically through the roof. Gazco offers a comprehensive range of balanced flue system components. Please refer to our dedicated Concentric Flue System brochure which can be requested from your retailer or viewed online at www.gazco.com.

No Air Vent Required (UK)



All fires shown with this symbol have the advantage of not normally requiring an air vent*. Please discuss this in full with your local retailer.

*Requirements in the Republic of Ireland are different.

Technical Information

The following pages provide the dimensional, heat input/output, efficiency and product code information you will need to choose your new Gazco fire. For more detailed specifications, please consult your Gazco retailer. Complete installation instructions may be downloaded from **www.gazco.com**.



FIRE INFORMATION

Product Code	Flue Type	Gas Type	Fuel Effect	Heat Input	Heat Output	Efficien	су	Remote Control	Lining
28-041	Balanced	Nat. Gas	Logs	11.00kW	9.35kW	85%	Prog.	Thermostatic	Ledgstone-effect
128-429	Balanced	LPG	Logs	10.80kW	9.18kW	85%	Prog.	Thermostatic	Ledgstone-effect
28-030	Balanced	Nat. Gas	Logs	11.00kW	9.35kW	85%	Prog.	Thermostatic	Black Reeded
28-516	Balanced	LPG	Logs	10.80kW	9.18kW	85%	Prog.	Thermostatic	Black Reeded

FRAME INFORMATION

		Product	Frame Size (mm)				
Description	Frame Finish	Code	W	h	d		
Icon XS	Black Glass	928-172	1386	754	26		
Verve XS	Graphite*	928-090	1435	693	58		
Expression	Graphite*	928-023	1290	650	40		


ECLIPSE OPTIONS


Product Code	Description
928-358	Eclipse Ledgstone-effect Lining Set
928-279	Eclipse Black Reeded Lining Set
999-639	Battery Back-up Kit
999-117	Tiled Wall Fitting Kit
928-315	Chimney Renovation Kit

^{*} A choice of 3 colours is available to choose from on these frames. They are: Metallic Red, Metallic Bronze & Ivory. Please use the product code provided with the following suffix for your choice of colour: Metallic Red (RD), Metallic Bronze (BZ) & Ivory (IV) - for example: Eclipse Verve XS in Ivory = 928-090**IV**




ECLIPSE DIMENSIONS (mm)





CHIMNEY RENOVATION KIT

This innovative addition allows your balanced flue Eclipse 100 fire to be installed in an existing fireplace opening with the option of either a single liner using the masonry chimney to bring in air or with two liners. Your retailer will be able to advise on your specific requirements. See page 79 for diagram.



Riva2 530 & 670 Fires

RIVA2 530 FIRE INFORMATION

Product	Flue	Gas	Fuel	Heat	Heat	Efficiency	Remote	Lining	Open	ing Size	(mm)
Code	Туре	Туре	Effect	Input	Output		Control	3 .	W	h	d
134-156	Conventional	Nat. Gas	Logs	6.8kW	5.1kW	75%	Prog. Thermostatic	Black Reeded	540	665	350
134-739	Conventional	LPG	Logs	6.8kW	5.1kW	75%	Prog. Thermostatic	Black Reeded	540	665	350
134-171	Balanced	Nat Gas	Logs	6.6kW	5.4kW	82%	Prog. Thermostatic	Black Reeded	540	665	350
134-718	Balanced	LPG	Logs	6.7kW	5.5kW	82%	Prog. Thermostatic	Black Reeded	540	665	350
134-189	Conventional	Nat. Gas	Logs	6.8kW	5.1kW	75%	Prog. Thermostatic	Vermiculite	540	665	350
134-641	Conventional	LPG	Logs	6.8kW	5.1kW	75%	Prog. Thermostatic	Vermiculite	540	665	350
134-215	Balanced	Nat. Gas	Logs	6.6kW	5.4kW	82%	Prog. Thermostatic	Vermiculite	540	665	350
134-614	Balanced	LPG	Logs	6.7kW	5.5kW	82%	Prog. Thermostatic	Vermiculite	540	665	350
134-233	Conventional	Nat. Gas	Logs	6.8kW	5.1kW	75%	Prog. Thermostatic	Brick-effect	540	665	350
134-587	Conventional	LPG	Logs	6.8kW	5.1kW	75%	Prog. Thermostatic	Brick-effect	540	665	350
134-256	Balanced	Nat. Gas	Logs	6.6kW	5.4kW	82%	Prog. Thermostatic	Brick-effect	540	665	350
134-554	Balanced	LPG	Logs	6.7kW	5.5kW	82%	Prog. Thermostatic	Brick-effect	540	665	350
134-106	Conventional	Nat. Gas	Logs	6.8kW	5.1kW	75%	Prog. Thermostatic	Black Glass	540	665	350
134-707	Conventional	LPG	Logs	6.8kW	5.1kW	75%	Prog. Thermostatic	Black Glass	540	665	350
134-012	Balanced	Nat. Gas	Logs	6.6kW	5.4kW	82%	Prog. Thermostatic	Black Glass	540	665	350
134-592	Balanced	LPG	Logs	6.7kW	5.5kW	82%	Prog. Thermostatic	Black Glass	540	665	350

RIVA2 670 FIRE INFORMATION

134-259	Conventional	Nat. Gas	Logs	6.8kW	5.1kW	75%	Prog. Thermostatic	Black Reeded	670	530	350
134-536	Conventional	LPG	Logs	6.7kW	5.0kW	75%	Prog. Thermostatic	Black Reeded	670	530	350
34-271	Balanced	Nat Gas	Logs	6.7kW	5.5kW	82%	Prog. Thermostatic	Black Reeded	670	530	350
34-505	Balanced	LPG	Logs	6.8kW	5.6kW	82%	Prog. Thermostatic	Black Reeded	670	530	350
⊠ 134-299	Conventional	Nat. Gas	Logs	6.8kW	5.1kW	75%	Prog. Thermostatic	Vermiculite	670	530	350
134-472	Conventional	LPG	Logs	6.7kW	5.0kW	75%	Prog. Thermostatic	Vermiculite	670	530	350
134-314	Balanced	Nat. Gas	Logs	6.7kW	5.5kW	82%	Prog. Thermostatic	Vermiculite	670	530	350
134-455	Balanced	LPG	Logs	6.8kW	5.6kW	82%	Prog. Thermostatic	Vermiculite	670	530	350
134-328	Conventional	Nat. Gas	Logs	6.8kW	5.1kW	75%	Prog. Thermostatic	Brick-effect	670	530	350
134-426	Conventional	LPG	Logs	6.7kW	5.0kW	75%	Prog. Thermostatic	Brick-effect	670	530	350
134-359	Balanced	Nat. Gas	Logs	6.7kW	5.5kW	82%	Prog. Thermostatic	Brick-effect	670	530	350
134-410	Balanced	LPG	Logs	6.8kW	5.6kW	82%	Prog. Thermostatic	Brick-effect	670	530	350
図 134-265	Conventional	Nat. Gas	Logs	6.8kW	5.1kW	75%	Prog. Thermostatic	Black Glass	670	530	350
134-691	Conventional	LPG	Logs	6.7kW	5.0kW	75%	Prog. Thermostatic	Black Glass	670	530	350
図 134-081	Balanced	Nat. Gas	Logs	6.7kW	5.5kW	82%	Prog. Thermostatic	Black Glass	670	530	350
134-573	Balanced	LPG	Logs	6.8kW	5.6kW	82%	Prog. Thermostatic	Black Glass	670	530	350

RIVA2 530 FRAME INFORMATION

		December of Contract	Frame Size (mm)			
Description	Frame Finish	Product Code	W	h	d	
Designio2 Steel	Graphite	934-187	610	704	38	
Designio2 Steel	Iridium	934-187IR	610	704	38	
Designio2 Glass	Black Glass	934-293	610	704	40	
Evoke Steel*	Graphite	934-595	795	752	40	
Evoke Glass*	Black Glass front with Graphite rear	934-417	795	752	40	
Evoke Glass*	White Glass front with Graphite rear	934-476	795	752	40	
Verve*	Graphite	934-441	690	835	59	
Ellingham	Matt Black Cast Iron	934-433	815	759	75	


RIVA2 670 FRAME INFORMATION


		Product Code	Frame Size (mm)			
Description	Frame Finish	Product Code	W	h	d	
Designio2 Steel	Graphite	934-238	735	569	38	
Designio2 Steel	Iridium	934-238IR	735	569	38	
Designio2 Glass	Black Glass	934-339	735	569	40	
Evoke Steel*	Graphite	934-601	920	622	40	
Evoke Glass*	Black Glass front with Graphite rear	934-529	920	622	40	
Evoke Glass*	White Glass front with Graphite rear	934-558	920	622	40	
Verve *	Graphite	934-156	1325	621	57	
Verve XS*	Graphite	934-143	1000	621	56	
Ellingham	Matt Black Cast Iron	934-486	940	627	75	

^{*} A choice of 3 colours is available to choose from on these frames. They are: Metallic Red, Metallic Bronze & Ivory. Please use the product code provided with the following suffix for your choice of colour: Metallic Red (RD), Metallic Bronze (BZ) & Ivory (IV) - for example: Riva2 530 Evoke Black Glass in Metallic Red = 923-417RD


RIVA2 530 DIMENSIONS (mm)


FRONT 463






RIVA2 670 DIMENSIONS (mm)







RIVA2 530 LINING OPTIONS

934-049	Riva2 530 Conventional Flue Black Reeded Lining Set
934-067	Riva2 530 Conventional Flue Vermiculite Lining Set
934-056	Riva2 530 Conventional Flue Brick-effect Lining Set
934-122	Riva2 530 Conventional Flue Black Glass Lining Set
934-070	Riva2 530 Balanced Flue Black Reeded Lining Set
934-088	Riva2 530 Balanced Flue Vermiculite Lining Set
934-074	Riva2 530 Balanced Flue Brick-effect Lining Set
934-148	Riva2 530 Balanced Flue Black Glass Lining Set

RIVA2 670 LINING OPTIONS

934-096	Riva2 670 Conventional Flue Black Reeded Lining Set
934-103	Riva2 670 Conventional Flue Vermiculite Lining Set
934-119	Riva2 670 Conventional Flue Brick-effect Lining Set
934-174	Riva2 670 Conventional Flue Black Glass Lining Set
934-127	Riva2 670 Balanced Flue Black Reeded Lining Set
934-111	Riva2 670 Balanced Flue Vermiculite Lining Set
934-137	Riva2 670 Balanced Flue Brick-effect Lining Set
934-200	Riva2 670 Balanced Flue Black Glass Lining Set

RIVA2 530 & 670 OPTIONS


Product Code Description

8572	Warm Air Ducting Kit (2 outlets)						
8524	Balanced Flue Kit - vertical (2x1000mm straight, 1x1000mm terminal)*						
8509	Balanced Flue Kit - up and out (1x200mm straight, 1x500mm straight, 1 x 500mm terminal length, 1x90° bend)*						
999-201	Horizontal Exit terminal guard (required for below 2m)						
8736	Linerless kit for Riva2 530 and 670						
999-620	Sequential system mains adaptor						

^{*}Additional flue pipe lengths and bends are available to extend the above kits

For more Balanced Flue information and options please refer to our Concentric Flue System brochure which can be viewed or downloaded online at www.gazco.com

ADDITIONAL INFORMATION FOR RIVA 530 AND RIVA 670



Diagrammatic representation only. Not accurate for installation purposes

NOTE: New 530 and 670 conventional flue connection system means easier installation. No access to flue connector required during installation.

†A marble slip with a minimum width of 150mm is recommended around ALL installations. No combustible material, including wallpaper, should be less than 150mm from the appliance.

*When installing below 150mm from the floor it is recommended that a 12mm thick non-combustible hearth is provided, extending 300mm in front and 150mm each side of the fire.

NOTE: Access to flue will be required during installation.

Riva2 500 Fires

FIRE INFORMATION

	Product Code	Flue Type	Gas Type	Fuel Effect	Heat Input	Heat Output	Efficiency		Remote Control	Lining
	134-070	Conventional	Nat. Gas	Logs	6.4kW	4.8kW	75%	Prog	Thermostatic	Black Reeded
\boxtimes	134-796	Conventional	LPG	Logs	6.4kW	4.8kW	75%	Prog	Thermostatic	Black Reeded
	134-118	Conventional	Nat. Gas	Logs	6.4kW	4.8kW	75%	Prog	Thermostatic	Vermiculite
	134-784	Conventional	LPG	Logs	6.4kW	4.8kW	75%	Prog.	Thermostatic	Vermiculite
	134-147	Conventional	Nat. Gas	Logs	6.4kW	4.8kW	75%	Prog	Thermostatic	Brick-effect
	134-756	Conventional	LPG	Logs	6.4kW	4.8kW	75%	Prog.	Thermostatic	Brick-effect
	134-026	Conventional	Nat. Gas	Logs	6.4kW	4.8kW	75%	Prog.	Thermostatic	Black Glass
	134-435	Conventional	LPG	Logs	6.4kW	4.8kW	75%	Prog	Thermostatic	Black Glass
	134-382	Conventional	Nat. Gas	Logs	6.4kW	4.8kW	75%	Prog	Thermostatic	Ledgestone-effect
	134-766	Conventional	LPG	Logs	6.4kW	4.8kW	75%	Prog.	Thermostatic	Ledgestone-effect
	134-275	Balanced	Nat. Gas	Logs	5.8kW	4.8kW	82%	Prog.	Thermostatic	Black Reeded
	134-447	Balanced	LPG	Logs	5.7kW	4.7kW	82%	Prog	Thermostatic	Black Reeded
	134-308	Balanced	Nat. Gas	Logs	5.8kW	4.8kW	82%	Prog.	Thermostatic	Vermiculite
	134-516	Balanced	LPG	Logs	5.7kW	4.7kW	82%	Prog.	Thermostatic	Vermiculite
	134-321	Balanced	Nat. Gas	Logs	5.8kW	4.8kW	82%	Prog.	Thermostatic	Brick-effect
	134-583	Balanced	LPG	Logs	5.7kW	4.7kW	82%	Prog	Thermostatic	Brick-effect
	134-346	Balanced	Nat. Gas	Logs	5.8kW	4.8kW	82%	Prog	Thermostatic	Black Glass
	134-682	Balanced	LPG	Logs	5.7kW	4.7kW	82%	Prog	Thermostatic	Black Glass
	134-333	Balanced	Nat. Gas	Logs	5.8kW	4.8kW	82%	Prog	Thermostatic	Ledgestone-effect
	134-731	Balanced	LPG	Logs	5.7kW	4.7kW	82%	Prog	Thermostatic	Ledgestone-effect

FRAME INFORMATION

		Product	Frame Size (mm)			
Description	Frame Finish	Code	W	h	d	
Icon XS	Black Glass	934-388	855	694	17	
Verve XS	Graphite*	934-033	890	621	57	
Ellingham	Matt Black Cast Iron	934-470	885	678	75	
Evoke Glass	Black Glass front/ Graphite rear*	934-366	869	710	40	
Evoke Glass	White Glass front/ Graphite rear*	934-397	869	710	40	
Evoke Steel	Graphite front * and rear*	934-330	869	710	40	

CHIMNEY RENOVATION KIT

This innovative addition allows your balanced flue Riva2 500 fire to be installed in an existing fireplace opening with the option of either a single liner using the masonry chimney to bring in air or with two liners. Your retailer will be able to advise on your specific requirements. See page 79 for diagram.


RIVA2 500 OPTIONS


Product Code	Description					
934-005	Black Reeded Lining Set - Conventional Flue					
934-021	Vermiculite Lining Set - Conventional Flue					
934-030	Brick-effect Lining Set - Conventional Flue					
934-018	Black Glass Lining Set - Conventional Flue					
934-206	Ledgestone-effect Lining Set - Conventional Flue					
934-159	Black Reeded Lining Set - Balanced Flue					
934-181	Vermiculite Lining Set - Balanced Flue					
934-203	Black Reeded Lining Set - Balanced Flue					
934-109	Black Glass Lining Set - Balanced Flue					
934-219	Ledgestone-effect Lining Set - Balanced Flue					
999-620	Remote system mains adaptor					
8572	Warm air ducting kit (2 outlets)- Balanced Flue					
8509	Balanced flue kit - up and out †					
8524	Balanced flue kit - vertical †					
999-201	Horizontal Exit terminal guard (required for below 2m) †					
928-315	Chimney Renovation Kit					


† For more Balanced Flue information please refer to our Concentric Flue System brochure which can be viewed at **www.gazco.com**

RIVA2 500 DIMENSIONS (mm)









^{*} A choice of 3 colours is available to choose from on these frames. They are: Metallic Red, Metallic Bronze & Ivory. Please use the product code provided with the following suffix for your choice of colour: Metallic Red (RD), Metallic Bronze (BZ) & Ivory (IV) - for example: Riva2 500 Verve XS in Ivory = 934-033**IV**

Riva2 750HL Fires

FIRE INFORMATION

Product Code	Flue Type	Gas Type	Fuel Effect	Heat Input	Heat Output	Efficiency	Remote Control	Lining
134-089	Conventional flue	Nat. Gas	Logs	8.70kW	7.00kW	80%	Prog. Thermostatic	Black Reeded
134-489	Conventional flue	LPG	Logs	9.20kW	7.36kW	80%	Prog. Thermostatic	Black Reeded
134-113	Conventional flue	Nat. Gas	Logs	8.70kW	7.00kW	80%	Prog. Thermostatic	Fluted Vermiculite
134-501	Conventional flue	LPG	Logs	9.20kW	7.36kW	80%	Prog. Thermostatic	Fluted Vermiculite
134-139	Conventional flue	Nat. Gas	Logs	8.70kW	7.00kW	80%	Prog. Thermostatic	Brick-effect
134-528	Conventional flue	LPG	Logs	9.20kW	7.36kW	80%	Prog. Thermostatic	Brick-effect
134-020	Conventional flue	Nat. Gas	Logs	8.70kW	7.00kW	80%	Prog. Thermostatic	Black Glass
134-632	Conventional flue	LPG	Logs	9.20kW	7.36kW	80%	Prog. Thermostatic	Black Glass
134-039	Conventional flue	Nat. Gas	Logs	8.70kW	7.00kW	80%	Prog. Thermostatic	Ledgestone-effect
134-561	Conventional flue	LPG	Logs	9.20kW	7.36kW	80%	Prog. Thermostatic	Ledgestone-effect
134-033	Balanced flue	Nat. Gas	Logs	8.40kW	6.72kW	80%	Prog. Thermostatic	Black Reeded
134-421	Balanced flue	LPG	Logs	8.40kW	6.72kW	80%	Prog. Thermostatic	Black Reeded
134-047	Balanced flue	Nat. Gas	Logs	8.40kW	6.72kW	80%	Prog. Thermostatic	Fluted Vermiculite
134-439	Balanced flue	LPG	Logs	8.40kW	6.72kW	80%	Prog. Thermostatic	Fluted Vermiculite
134-059	Balanced flue	Nat. Gas	Logs	8.40kW	6.72kW	80%	Prog. Thermostatic	Brick-effect
134-466	Balanced flue	LPG	Logs	8.40kW	6.72kW	80%	Prog. Thermostatic	Brick-effect
134-084	Balanced flue	Nat. Gas	Logs	8.40kW	6.72kW	80%	Prog. Thermostatic	Black Glass
134-495	Balanced flue	LPG	Logs	8.40kW	6.72kW	80%	Prog. Thermostatic	Black Glass
134-076	Balanced flue	Nat. Gas	Logs	8.40kW	6.72kW	80%	Prog. Thermostatic	Ledgestone-effect
134-480	Balanced flue	LPG	Logs	8.40kW	6.72kW	80%	Prog. Thermostatic	Ledgestone-effect

RIVA2 750HL FRAME INFORMATION


.	E	Product	Frame Size (mm)			
Description	Frame Finish	Code	W	h	d	
Verve XS*	Graphite	934-213	1202	1005	57	
Evoke Glass*	Black Glass front & Graphite rear	934-245	1117	1034	42	
Evoke Glass*	White Glass front & Graphite rear	934-264	1117	1034	42	
Evoke Steel*	Graphite front & rear	934-281	1117	1034	42	
Icon XS	Black Glass	934-371	1089	1015	17	


RIVA2 750HL OPTIONS

Product Code	Description
934-011	CF Black Reeded Lining Set
934-053	CF Fluted Vermiculite Lining Set
934-060	CF Brick-effect Lining Set
934-226	CF Black Glass Lining Set
934-284	CF Ledgestone-effect Lining Set
934-037	BF Black Reeded Lining Set
934-062	BF Fluted Vermiculite Lining Set
934-077	BF Brick-effect Lining Set
934-086	BF Black Glass Lining Set
9340091	BF Ledgestone-effect Lining Set
999-620	Remote System Mains Adaptor

^{*} A choice of 3 colours is available to choose from on these frames. They are: Metallic Red, Metallic Bronze & Ivory. Please use the product code provided with the following suffix for your choice of colour: Metallic Red (RD), Metallic Bronze (BZ) & Ivory (IV) - for example: Riva2 750HL Evoke Glass in Black Glass with Metallic Red rear section = 923-245**RD**

RIVA2 750HL DIMENSIONS (mm)





The above information is to assist you in your choice of a suitable Gazco fire. This is not intended to be all the information required to install your fire. This can be obtained from your local Gazco retailer or you can download the full installation instructions from the Gazco website at www.gazco.com

Riva2 800 Fires

RIVA2 800 FIRE INFORMATION


Product	Flue	Gas Type	Fuel	Heat	Heat	Efficiency	Lining	Remote	Opening Size (mm)		
Code	Type		Effect	Input	Output			Control	W	h	d
134-099	Balanced	Nat. Gas	Logs	9.50kW	7.98kW	84%	Vermiculite	Prog. Thermostatic	906	1105	391
🛭 134-412	Balanced	LPG	Logs	8.80kW	7.39kW	84%	Vermiculite	Prog. Thermostatic	906	1105	391
図 134-110	Balanced	Nat. Gas	Logs	9.50kW	7.98kW	84%	Black Reeded	Prog. Thermostatic	906	1105	391
134-461	Balanced	LPG	Logs	8.80kW	7.39kW	84%	Black Reeded	Prog. Thermostatic	906	1105	391

RIVA2 800 FRAME INFORMATION Frame Size (mm)								
NIVAZ 000 I	FRAME INFORMATION		Fra	ame Size (m	ım)			
Product Code	Description	Frame Finish	W	h	d			
934-325	Icon XS	Black Glass	1263	1158	30			
934-064	Sorrento	Natural Limestone	1260	1009	200			
934-302	Sorrento	Graphite Granite	1260	1009	200			
9002CLWM	Claremont (requires slip set)	Antique White Marble	1555	1143	190			
9002CLTL	Claremont (requires slip set)	Limestone	1555	1143	190			
9000CAWM	Cavendish Bolection (requires slip set)	Antique White Marble	1460	1320	207			
9000CATL	Cavendish Bolection (requires slip set)	Limestone	1460	1320	207			
9001GEWM	Georgian Roundel (requires slip set)	Antique White Marble	1460	1082	200			
9001GETL	Georgian Roundel (requires slip set)	Limestone	1460	1082	200			
9003GRWM	Grafton (requires slip set)	Antique White Marble	1415	1165	105			
9003GRTL	Grafton (requires slip set)	Limestone	1415	1165	105			
9004VIWM	Victorian Corbel (requires slip set)	Antique White Marble	1525	1170	250			
9004VITL	Victorian Corbel (requires slip set)	Limestone	1525	1170	250			
9005SAWM	Sandringham (requires slip set)	Antique White Marble	1550	1220	227			
9005SATL	Sandringham (requires slip set)	Limestone	1550	1220	227			
934-670	Slip set for Stone Mantel	Antique White Marble	N/A	N/A	N/A			
934-553	Slip set for Stone Mantel	Limestone	N/A	N/A	N/A			
934-241	Small Hearth for Stone Mantel	Antique White Marble	1524	53	228			
934-193	Small Hearth for Stone Mantel	Limestone	1524	53	228			
934-489	Large Hearth for Stone Mantel	Antique White Marble	1625	53	457			
934-351	Large Hearth for Stone Mantel	Limestone	1625	53	457			


RIVA2 800 OPTIONS

Product Code	Description
8534	Balanced flue kit - up and out (1x198mm straight, 1x500mm terminal length, 1x90° bend)*
8524	Balanced flue kit - vertical (2x1000mm straight, 1x1000 terminal length*)
934-152	Riva2 800 Black Reed Lining Set
999-440	Riva2 800 Tiled Wall Fitting Kit
999-315	Chimney Renovation Kit (see page 128)
999-201	Horizontal Exit terminal guard (required for below 2m)
999-620	Remote System Mains Adaptor

RIVA2 800 DIMENSIONS (mm)



RIVA2 800 SORRENTO DIMENSIONS (mm)



^{*}Additional flue pipe lengths and bends are available to extend the above kits


For more Balanced Flue information and options please refer to our Concentric Flue System brochure which can be viewed or downloaded online at **www.gazco.com**


Riva2 1050 Fires


RIVA2 1050 FIRE INFORMATION

Product	Flue	Gas Type	Fuel	uel Heat Heat Efficiency Remote Lining		Lining	Opening Size (mm)				
Code	Туре	,,	Effect	Input	Output	Í	Control		W	h	d
134-136	Balanced	Nat. Gas	Logs	9.50kW	7.98kW	84%	Prog. Thermostatic	Vermiculite	1176	896	391
34-493	Balanced	LPG	Logs	8.80kW	7.39kW	84%	Prog. Thermostatic	Vermiculite	1176	896	391
134-178	Balanced	Nat. Gas	Logs	9.50kW	7.98kW	84%	Prog. Thermostatic	Black Reeded	1176	896	391
134-544	Balanced	LPG	Logs	8.80kW	7.39kW	84%	Prog. Thermostatic	Black Reeded	1176	896	391


RIVA2 1050 DIMENSIONS (mm)







RIVA2 1050 SORRENTO DIMENSIONS (mm)



RIVA2 1050	FRAME INF	ORMATION	Open	Opening Size (mm		
Product Code	Description	Frame Finish	w	h	d	
934-501	Sorrento	Natural Limestone	1530	801	200	
934-653	Sorrento	Graphite Granite	1530	801	200	
934-334	Icon XS	Black Glass	1533	951	30	

RIVA2 1050 OPTIONS


Product Code	Description
8523	Riva2 Balanced flue kit (1050 only) - up and out (1x500mm straight, 1x500mm terminal length, 1x90° bend)
8524	Balanced flue kit - vertical (2x1000mm straight, 1x1000 terminal length*)
934-260	Riva2 1050 Black Reeded Lining Set
999-321	Riva2 1050 Tiled Wall Fitting Kit
999-315	Chimney Renovation Kit
999-201	Horizontal Exit terminal guard (required for below 2m)
999-620	Remote System Mains Adaptor

*Additional flue pipe lengths and bends are available to extend the above kits

For more Balanced Flue information and options please refer to our Concentric Flue System brochure which can be viewed or downloaded online at www.gazco.com

CHIMNEY RENOVATION KIT FOR RIVA2 500, 800, 1050 & ECLIPSE 100

This innovative addition allows your balanced flue Riva2 500, 800, 1050 or Eclipse 100 fire to be installed in an existing fireplace opening with the option of either a single liner using the masonry chimney to bring in air or with two liners. Your retailer will be able to advise on your specific requirements.



Stone Mantels

STONE MANTEL INFORMATION

Product Code	Description	Frame Finish	W	h	d
9002CLWM	Claremont (requires slip set)	Antique White Marble	1555	1143	190
9002CLTL	Claremont (requires slip set)	Limestone	1555	1143	190
9000CAWM	Cavendish Bolection (requires slip set)	Antique White Marble	1460	1320	207
9000CATL	Cavendish Bolection (requires slip set)	Limestone	1460	1320	207
9001GEWM	Georgian Roundel (requires slip set)	Antique White Marble	1460	1082	200
9001GETL	Georgian Roundel (requires slip set)	Limestone	1460	1082	200
9003GRWM	Grafton (requires slip set)	Antique White Marble	1415	1165	105
9003GRTL	Grafton (requires slip set)	Limestone	1415	1165	105
9004VIWM	Victorian Corbel (requires slip set)	Antique White Marble	1525	1170	250
9004VITL	Victorian Corbel (requires slip set)	Limestone	1525	1170	250
9005SAWM	Sandringham (requires slip set)	Antique White Marble	1550	1220	227
9005SATL	Sandringham (requires slip set)	Limestone	1550	1220	227

HEARTH INFORMATION

934-241	Small Hearth for Stone Mantel	Antique White Marble	1524	53	228
934-193	Small Hearth for Stone Mantel	Limestone	1524	53	228
934-489	Large Hearth for Stone Mantel	Antique White Marble	1625	53	457
934-351	Large Hearth for Stone Mantel	Limestone	1625	53	457

RIVA2 750HL SLIP SETS INFORMATION

934-790	Slip set for Riva2 750HL Stone Mantel	Antique White Marble	N/A	N/A	N/A
934-121	Slip set for Riva2 750HL Stone Mantel	Limestone	N/A	N/A	N/A


RIVA2 800 SLIP SETS INFORMATION


934-670	Slip set for Riva2 800 Stone Mantel	Antique White Marble	N/A	N/A	N/A
934-553	Slip set for Riva2 800 Stone Mantel	Limestone	N/A	N/A	N/A





Balanced Flue Options


Gazco offers a comprehensive range of balanced flue system components. Please refer to our dedicated Concentric Flue System brochure which can be requested from your retailer or viewed online at www.gazco.com.

















Vertical from the top of the appliance

Important Information

Technical Specifications

All specifications given in this brochure are approximate. Actual specifications for each individual product will vary according to model. Your Gazco retailer will be pleased to provide any further information you require. Alternatively you may view or download specification sheets from www.gazco.com

Installation and Safety

Gazco gas fires must be fitted by a qualified gas installer (Gas Safe registered in the United Kingdom or Bord Gáis registered in the Republic of Ireland) who should also verify the proposed site conditions are fully suitable for the product selected. Complete installation instructions for many models can be obtained prior to purchase by viewing or downloading them from **www.gazco.com**. Please note that all parts of these fires, particularly the glass panel in the door, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a fireguard complying with BS 8423:2002 is used in the presence of young children, the elderly or infirm.

Colours/Flame pictures

Owing to variations in studio lighting and printing inks, the finishes/colours of fires illustrated in this brochure may differ slightly from actual models. Before purchasing, please ask your retailer to show you finish/colour samples. Whilst all the flame pictures shown in this brochure are of actual fires, flame pictures may vary depending on the installation, flue conditions and geographical/surrounding features that may effect the efficiency of the flue.

Care and maintenance

Traditional materials, such as polished steel and brass, tarnish on contact with air, especially when also exposed to heat. To help minimise this effect, we recommend fires receive regular treatment with suitable proprietory cleaners. Additionally, please remember that gas fires will require servicing annually by a qualified gas installer Gas Safe registered in the United Kingdom or Bord Gáis registered in the Republic of Ireland).

Warranty and Product Improvement

Your Gazco Expert Retailer will provide you with a Two Year Warranty for your new gas fire. This can be extended to a Five Year Warranty provided your fire has been registered with Gazco. The second and subsequent years are dependant on the appliance being serviced 12 months after installation and annually thereafter and exclude certain consumable parts. Fires purchased outside of Gazco's Expert Retailer Network will carry a standard 1 Year Non-Extendable Warranty. Full warranty terms and conditions are available to view at www.gazco.com.



Gazco pursue a policy of continuous product improvement, therefore, whilst our products are correct at the time of the photography, we reserve the right to make alterations and amendments. Exact product details should be discussed with your retailer at the time of purchase.

Air Ventilation for Gas Fires

To comply with gas appliance installation regulations, all Studio 2 and 3 Open Fronted fires and all Glass Fronted Studio 2 fires with a conventional flue require additional ventilation into your room. For further information, please consult either your Gazco retailer or the Gazco Technical Information on our website **www.gazco.com** to confirm the ventilation required. All other fires featured in this brochure do not require additional ventilation.

Gazco gratefully acknowledges the assistance of the following companies with photographic settings:

Furnishings and Ornaments:- www.amara.com; www.furniturevillage.co.uk; www.lauraashley.com; www.faginsantiques.com; www.theorangetree.co.uk; www.habitat.co.uk; www.houseoffraser.co.uk; www.ashorejewellery.co.uk; www.eclectique.co.uk; www.debenhams.com; www.next.co.uk; www.marksandspencer.com; www.rockettstgeorge.co.uk; www.frenchconnection.com; www.ayfair.co.uk; www.urbanoutfitters.com/uk; www.thmaxx.com; www.homesense.com; www.next.co.uk; www.coxandcox.co.uk; www.urbanara.co.uk • Lighting:- www.amoslighting.co.uk | Wood Mantels:- www.stovax.com Stone Mantels:- www.farmington.co.uk; www.bnsp.co.uk; www.grandisson.com; www.rudloe-stone.com • Wood flooring:- www.beechbros.co.uk | Tiles & Stone floors:- www.originalstyle.com • Televisions:- www.heavitreeradio.co.uk | Plants:- www.stbridgetnurseries.co.uk • Paintings:- www.easyart.com









Gazco Limited

Osprey Road, Sowton Industrial Estate, Exeter, Devon, England EX2 7JG

Tel: 01392 261999 • Fax: 01392 444148 • E-mail: info@gazco.com • www.gazco.com



To view & download our complete range of brochures, simply scan this code or visit www.gazco.com Your Gazco stockist:

£3.00

