Elise

woodburning and multi-fuel cassette fires

100



The Future Of Fire...

Designing a fire that essentially redefines what it means to burn cleanly requires a **wholly fresh approach**, which is why the **Stovax Elise** is very different.

Featuring unique airflow dynamics that facilitate **highly efficient**, state of the art combustion systems, the new Elise range produces magnificent rolling flames and ample warmth, whilst **lowering emissions** to an absolute minimum. The progressive design makes it not only one of today's cleanest burning, carbon neutral fires, but also **compliant with the forthcoming exacting Ecodesign standards for 2022.**

Resulting from Stovax's **34 years of British design and engineering**, the Elise is a clean, **contemporary designed** fire range at the pinnacle of **clean burning performance**.





Cover Image: Elise 540 Edge Woodburning







The Elise

Peace of Mind06
Precision Performance
Designed For Our Environment 10
Elise Size Options12
Individual Styling 14
Elise Edge16
Elise Edge+
Elise Profil
Elise Expression
Elise Evoke Steel
Technical Information
Exceeding Ecodesign
Additional Information



Peace Of Mind

Choosing a fire for your home shouldn't be complicated. We want you to be happy and relaxed from the moment you pick up this brochure to the first time you light your kindling, and for many years after! That's why we have carefully selected Expert Retailers to help you...

EXPERT RETAILER NETWORK

We take great care to ensure that our fires and stoves are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your chimney system) and visual; and ensure that you select the most appropriate product for your home. They will also be able to advise on, or assist with, the installation process as well as help provide any after-sales support and servicing your appliance may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from purchasing the product only online and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Furthermore, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

EXTENDED WARRANTY

When you choose an Elise cassette fire, quality and technology are assured. Accordingly, when you purchase your new fire from a Stovax Expert Retailer they will provide you with a Two Year Warranty. This can then be extended to a Five Year Warranty provided your Elise fire is registered with Stovax. Fires purchased outside Stovax's Expert Retailer Network will carry a standard One Year Warranty. Further details of this warranty are on page 31.







Precision Performance

Every Stovax fire is characterised by a precise balance of efficiency, performance and user control. The Elise is the result of these values being taken to the next level, to create a fire at the forefront of innovation. Utilising a series of advanced plenum chambers coupled with dynamic air jets, airflow can be instantly adjusted and delivered with precision accuracy to multiple areas of the firebox. This

technology facilitates the Elise's ultra-green, Ecodesign combustion process - reducing emissions to remarkably low amounts, whilst maintaining high levels of efficiency of up to 81%. The Elise's eco-friendly design means that both the 540 and 680 models are DEFRA smoke control zone exempt, making them an excellent choice for rural and urban homes alike.



ELISE KEY DESIGN FEATURES

- 1. Unique plenum chambers manage exactly calibrated airflows
- 2. Air jets deliver precision airflow for the cleanest possible combustion
- 3. Dynamic airwash ensures a clear view of flames
- 4. Scalloped, high density thermal brick liner system
- 5. Airtight door with twin latch dampened mechanism
- 6. Easy to use air controls for instant adjustment of flame visual and heat
- 7. Convected and radiant heat



- 8. External Riddling Grate (multi-fuel models)
- 9. Removable Ashpan (multi-fuel models)
- 10. Easy fit flue connection through cassette
- 11. Warm air ducting kit (optional)
- 12. Fan assisted convection kit (optional)
- 13. Sealed external air supply (optional)

SEALED EXTERNAL AIR SUPPLY

Designed from conception to be fully airtight, Elise fires can be optionally installed with a sealed external air supply, meaning the Elise does not



need to draw any oxygen from the room. This potentially negates the need for an additional air vent, therefore minimising drafts.

FAN ASSISTED CONVECTION KIT

Installing an optional fan kit into your Elise fire helps circulate convection air, increasing burning efficiency and improving heat delivery into the room. With both manual and automatic settings, the fan kit is conveniently operated by the Elise Control Panel.

WARM AIR DUCTING KIT

With the addition of the warm air ducting kit, Elise fires are capable of heating up to two additional living spaces, allowing you to truly make the most of your fire and reduce your reliance on your central heating system.



Designed For Our Environment

ECODESIGN COMPLIANT FIRES

At Stovax, we have always strived to create standout stoves and fires that not only provide superior flame visuals, but also minimise our environmental impact. Our advanced Cleanburn technology is the result of 34 years of experience and development, with many of our products approved for use in urban environments which are typically DEFRA smoke restricted areas.



But producing DEFRA exempt appliances is only the beginning. New EU Ecodesign regulations are coming into force in 2022 to ensure appliances are friendly to both the environment and our health, paving the way to a truly sustainable future.

With this in mind we have developed the Elise as a highly efficient, greener fire that doesn't simply meet Ecodesign limits but goes much further – with some models in the range burning so cleanly, emissions are minimised to as little as a fifth of the forthcoming 2022 levels.

The Elise's advanced combustion system isolates air management in the specially designed plenum chambers in the base of the fire, so that airflow is calibrated precisely – ensuring a far more complete burning process than standard fires and stoves can ever achieve. The result is significantly less flue gases that impact air quality, including Carbon Monoxide (CO), Nitrous Oxide (NOx), Organic Gaseous Compounds (OGC), and Particulate Matter (PM).

We believe this is the future of solid fuel heating, which is why we have decided to design and develop one of the most ultra-green burning fire ranges – the Elise.

WOOD OR SMOKELESS FUEL

Both Elise 540 and 680 fires are available in multi-fuel versions which will allow you to burn either logs or smokeless fuel.

THE BENEFITS OF WOODBURNING

All Elise fires, including multi-fuel versions, are designed to burn wood with optimal efficiency. Wood is an environmentally friendly fuel; when burnt, the carbon dioxide released into the atmosphere is approximately the same as that absorbed by the tree during growth, making it carbon neutral. It is also a renewable resource, particularly when derived from plantations and cultivated woodland.



For optimum results, we recommend logs should be seasoned for 2 years or more to achieve a moisture content below 20%. This will not only give a higher heat output than of freshly felled timber but will also help to avoid a build up of tar in your flue. Hardwood logs this is better still, as they will have a greatly increased calorific value compared to softwoods.



SMOKE CONTROL AREA APPROVAL

Many town and city homes are located in Smoke Control Areas as designated by the 1993 Clean Air Act. The Elise 540 and 680 fires have been approved for the burning of wood in these areas meaning that even the most urban of homes can benefit from this environmentally friendly fuel source.

CE MARKED & HETAS ACCREDITED



All fires in the Elise range are CE Marked. This means they have been independently tested to exacting European standards for both heating efficiency and emissions. In addition, they have also been accredited by HETAS, the UK's official body recognised by the government to approve solid fuel domestic heating appliances.



Elise Size Options

The Elise range presents an array of combinations to help you find the right fire for your home. Three sizes offer a range of heat outputs, so whether your setting is a standard sized living room or an open-plan area, you can be sure of generous warmth and a striking focal point.

Elise versatility is expanded with both dedicated woodburning as well as multi-fuel models to choose from, letting you select a fire that best suits your lifestyle. This brochure is organised by frame style - but your first decision is to identify the correct Elise size and heat output for your room, and then select the frame style to suit your home.

SIZE CHOICES	ELISE 540	ELISE 680	ELISE 850	
Heat Output	Nominal: 5.0kW Range: 3.0 - 7.0kW	Nominal: 7.0kW - 8.0kW* Range: 4.0 - 11.0kW	Nominal: 9.0kW Range: 5.0 - 12.0kW	
Maximum Efficiency	83%	79%	75%	
Wood and Multi-fuel models	 	V	Wood only	
Smoke Control Exempt	~	~	-	
Smoke Control Exempt Maximum Log Length	✔ 330mm	✔ 500mm	- 640mm	
		•	- 640mm 850 x 630 x 395mm	



ELISE 540



ELISE 680





Individual Styling

FRAMING CHOICES

The Elise's performance is matched by its elegant, contemporary styling. Offsetting the minimalist lines of the clean exterior, a tapered firebox with an artistically scalloped lining provides the backdrop for the stunning flame visuals.

Each Elise fire is presented in a variety of framing styles, in 4 sided options for elevated installations and 3 sided options for conventional hearth mounted installations. Shown in detail throughout the brochure, these frames illustrate the different ways your Elise fire can create not only a striking centrepiece in your home but one that reflects your individuality. Elise models can even be installed without a frame, using the frameless Edge kit that comes with the fire, for a stylish hole-in-the-wall look.





THREE OR FOUR SIDED FRAMES

VIEW THE VIDEO

To experience the Elise range's superb flame visuals and elegant styling, view our short showcase video at www.stovax.com/elise, alternatively you can visit your local expert retailer.



FIREPLACE TILE SURROUNDS

Stovax has designed a unique collection of porcelain and natural stone tiles that are the perfect enhancement for your Elise fire. Whether you choose to set off your Elise with contrasting colours or add to your existing palette, there are many possibilities and ways to ensure your Elise is perfectly suited to your home and decorative tastes.

FOUR SIDED FRAMES





Elise Edge







Capturing minimalist styling and clean modernity, the frameless Edge integrates seamlessly with your surrounding décor, creating a breathtaking hole-in-the-wall focal point.

All Elise fires are ready to install as a frameless Edge, and allow the surrounding wall to be plastered or tiled right up to the fire's edge, whether hearth mounted or elevated further up the wall.

	Nominal Heat Output & Range	Maximum Log Length	Edge Dimensions (w x h)
Elise 540	5kW (3 - 7kW)	330mm	530 x 550mm
Elise 680	7kW - 8kW* (4 - 11kW)	500mm	670 x 550mm
Elise 850	9kW (5 - 12kW)	640mm	840 x 630mm





Elise Edge+







Offering further flexibility, the Edge+ continues the minimalist styling of the original Edge design but allows for easier finishing, as the surrounding wall edge is covered by the frame.

Available in both 3 sided and 4 sided versions, the Edge+ adds an extremely narrow trim which overlays the finished wall surface, preserving the hole-in-the-wall style and creating a clean border around all Elise sizes.

	Nominal Heat Output & Range	Maximum Log Length	3 Sided Edge+ Dimensions (WxHxD)	4 Sided Edge+ Dimensions (WxHxD)
Elise 540	5kW (3 - 7kW)	330mm	571 x 569 x 3mm	571 x 588 x 3mm
Elise 680	7kW - 8kW* (4 - 11kW)	500mm	711 x 569 x 3mm	711 x 588 x 3mm
Elise 850	9kW (5 - 12kW)	640mm	881 x 649 x 3mm	881 x 668 x 3mm

See pages 7, 27 and back cover for further images.



Elise Profil







With its subtle styling and sophisticated Metallic Black finish, the Profil frame complements the Elise's clean, elegant lines and fits effortlessly with almost any interior.

This adaptable frame is available in both 3 sided and 4 sided options, allowing for either hearth mounted or elevated installations.

		Nominal Heat Output & Range	Maximum Log Length	3 Sided Profil Dimensions (WxHxD)	4 Sided Profil Dimensions (WxHxD)
Elise	540	5kW (3 - 7kW)	330mm	631 x 599 x 38mm	631 x 648 x 38mm
Elise	680	7kW - 8kW* (4 - 11kW)	500mm	771 x 599 x 38mm	771 x 648 x 38mm
Elise	850	9kW (5 - 12kW)	640mm	941 x 679 x 38mm	941 x 728 x 38mm

See pages 4, 9, 29 and 30 for further images.



Elise Expression







The Expression completes the Elise with an eye-catching, geometric frame, enhancing the fire's already impressive presence. Instantly creating a distinctive focal feature, the Elise Expression will demonstrate bold but tasteful style in any interior.

This 4 sided surround is available for all Elise models, perfectly encapsulating the contemporary styling of the range.

	Nominal Heat Output & Range	Maximum Log Length	Expression Dimensions (w x h x d)
Elise 540	5kW (3 - 7kW)	330mm	727 x 744 x 38mm
Elise 680	7kW - 8kW* (4 - 11kW)	500mm	867 x 744 x 38mm
Elise 850	9kW (5 - 12kW)	640mm	1037 x 824 x 38mm

Elise Evoke Steel







Adding a profiled surround, The Evoke Steel frame combines with the Elise to instantly transform any interior.

With its dual steel layering, this frame combines a two-part, four sided design to create a sophisticated, statement style that lends a stunning finish to all models in the Elise range.


	Nominal Heat Output & Range	Maximum Log Length	Evoke Steel Dimensions (w x h x d)
Elise 540	5kW (3 - 7kW)	330mm	792 x 810 x 38mm
Elise 680	7kW - 8kW* (4 - 11kW)	500mm	1003 x 807 x 38mm
Elise 850	9kW (5 - 12kW)	640mm	1174 x 890 x 38mm

See page 15 for further image.





Technical Information



	ELISE 540	ELISE 680	ELISE 850
А	540mm	680mm	850mm
В	550mm	550mm	630mm
С	350mm	395mm	395mm
D	604mm	744mm	914mm
E	588mm	588mm	668mm
F	203mm	250mm	250mm
G	380mm	440mm	500mm
H (Ø)	153mm	153mm	153mm
J	205mm	250mm	250mm
K (Flame Viewing Area)	398mm	538mm	708mm
L (Flame Viewing Area)	320.5mm	317.5mm	397.5mm
Μ	570mm	570mm	650mm
Ν	360mm	405mm	405mm
0	100mm	100mm	100mm
Р	250mm ‡	250mm ‡	250mm [‡]
Q	365mm	365mm	605mm
R	560mm	700mm	870mm

ELISE CASSETTE FIRE INFORMATION & PRODUCT CODES

Product Code	Description	Heat Output	Fuel Type	Efficiency
ELS-540-W	Elise 540 Woodburning	5.0kW	Wood	81%
ELS-540-MF	Elise 540 Multi-fuel	5.0kW	Multi-fuel	83%
ELS-680-W	Elise 680 Woodburning	7.0kW	Wood	77%
ELS-680-MF	Elise 680 Multi-fuel	8.0kW	Multi-fuel	79%
ELS-850-W	Elise 850 Woodburning	9.0kW	Wood	75%

Elise Fires with this symbol have been aproved for use in Smoke Control Areas as standard and do not require any additional Smoke Control Kit

ELISE CASSETTE FIRE ACCESSORY PRODUCT CODES

Product Code	Description
ELS-ABASE-SM	Outside Air Kit - Base Fitting - Elise 540 [†]
ELS-AREAR-SM	Outside Air Kit - Rear Fitting - Elise 540
ELS-ABASE-LG	Outside Air Kit - Base Fitting - Elise 680 & 850 [†]
ELS-AREAR-LG	Outside Air Kit - Rear Fitting - Elise 680 & 850
RVST-500FAN	Fan Assisted Convection Kit - Elise 540 & 680*
RVST-SFAN	Fan Assisted Convection Kit - Elise 850*
8572	Warm Air Ducting Kit - suitable for all Elise fires

* Fan Assisted Convection Kits NOT suitable for hearth mounted installations.

† Outside Air Kits with Base Fitting must be used when fire is also fitted with a Fan Assisted Convection Kits.

A HETAS approved installer should undertake a site survey prior to purchase and must install any Elise Fire.

Your Stovax retailer will be able to advise on this and, in particular, the use of high temperature (1300°C) plaster/screed in the area around Elise Cassettes. You may view/download complete installation instructions at our website - www.stovax.com. These diagrams cover some of the basic requirements. All fires and stoves should be installed by a competent person to the requirement of Building Regulations (Document J) and include the fitting of adequate ventilation to ensure safe use. Usually older buildings do not need any additional ventilation for appliances up to 5kW, but modern houses will need additional ventilation in all cases. Some models can be fitted with an optional External Air Kit, or dedicated external air supply, offering a discreet and draught reducing solution to standard room venting. The diagrams and dimensions on these pages cover some of the basic requirements and are for initial information purposes only.

‡ Not applicable unless a fan kit is required.



Frame Information

Choose from the frame options below, unless you require an Edge model, which is supplied as standard.

ELISE 540 FRAME DIMENSIONS (MM) & PRODUCT CODES

Product Code	Description	Width	Height	Depth
ELS-540-FEPLUS3	Edge+ (3 Sided)	571	569	3
ELS-540-FEPLUS4	Edge+ (4 Sided)	571	588	3
ELS-540-FFPRO3B	Profil (3 Sided)	631	599	38
ELS-540-FFPRO4B	Profil (4 Sided)	631	648	38
ELS-540-FEXP4	Expression (4 Sided)	727	744	38
ELS-540-FEV	Evoke Steel (4 Sided)	792	810	38

ELISE 680 FRAME DIMENSIONS (MM) & PRODUCT CODES

Product Code	Description	Width	Height	Depth
ELS-680-FEPLUS3	Edge+ (3 Sided)	711	569	3
ELS-680-FEPLUS4	Edge+ (4 Sided)	711	588	3
ELS-680-FFPRO3B	Profil (3 Sided)	771	599	38
ELS-680-FFPRO4B	Profil (4 Sided)	771	648	38
ELS-680-FEXP4	Expression (4 Sided)	867	744	38
ELS-680-FEV	Evoke Steel (4 Sided)	1003	807	38


ELISE 850 FRAME DIMENSIONS (MM) & PRODUCT CODES

Product Code	Description	Width	Height	Depth
ELS-850-FEPLUS3	Edge+ (3 Sided)	881	649	3
ELS-850-FEPLUS4	Edge+ (4 Sided)	881	668	3
ELS-850-FFPRO3B	Profil (3 Sided)	941	679	38
ELS-850-FFPRO4B	Profil (4 Sided)	941	728	38
ELS-850-FEXP4	Expression (4 Sided)	1037	824	38
ELS-850-FEV	Evoke Steel (4 Sided)	1174	890	38

Exceeding Ecodesign

TOTAL EFFICIENCY - %

Balancing a fire's efficiency with cleanliness of burning is a precise science, requiring expert craftsmanship and meticulous testing. All Elise cassette models focus on delivering the cleanest burn possible whilst still surpassing the 2022 EU Ecodesign Efficiency target of 72.3%, resulting in a range of truly environmentally friendly fires.




	Efficiency
Elise 540 - Woodburning model	81%
Elise 540 - Multi-fuel model*	83%
Elise 680 - Woodburning model	77%
Elise 680 - Multi-fuel model*	79%
Elise 850 - Woodburning model	75%
EU 2022 Efficiency Minimum Target	72.3%

PM'S (PARTICULATE MATTER) mg/m³

Although PM's are currently measured for UK smokeless zone requirements, the EU Ecodesign emission levels will be tighter than those currently permitted for smokeless zones. Elise fires burn well below future EU PM targets, with the Elise 540 generating only a fifth of the emissions permitted under Ecodesign.

NOX (NITROGEN OXIDES) mg/m³

Nitrogen oxides affect air quality and are another emission requirement under Ecodesign. All models in the Elise range demonstrate NOx emissions so low, they are less than 60% of the amount permitted by the 2022 EU limits, demonstrating the Elise range's extraordinary clean burning capability.



	mg/m ³
Elise 540 - Woodburning model	74
Elise 540 - Multi-fuel model*	110
Elise 680 - Woodburning model	83
Elise 680 - Multi-fuel model*	109
Elise 850 - Woodburning model	82
EU 2022 NOx Limit	200

	mg/m³
Elise 540 - Woodburning model	8
Elise 540 - Multi-fuel model*	30
Elise 680 - Woodburning model	7
Elise 680 - Multi-fuel model*	10
Elise 850 - Woodburning model	15

40

EU 2022 DIN + PM's Limit




OGCS (ORGANIC GASEOUS COMPOUNDS)

OGCs are also an important requirement of the forthcoming 2022 EU standards and all models in the Elise range fall well below the Ecodesign targets.

CO (CARBON MONOXIDE) % @ 13% 02

Ecodesign limits are set to dramatically reduce the current UK Carbon Monoxide emission limits by a massive 88%, from $1\% @ 13\% O_2$ to 0.12%. All Elise fires, again meet this forthcoming EU standard.



	mg/m ³
Elise 540 - Woodburning model	55
Elise 540 - Multi-fuel model*	37
Elise 680 - Woodburning model	64
Elise 680 - Multi-fuel model*	14
Elise 850 - Woodburning model	92
EU 2022 OGCs Limit	120

Elise 680

Wood

Elise 680 Multi-fuel

(Smokeless fuel)

Elise 850

Wood

Ecodesign OGC's Limit

	% at 13% O ₂
Elise 540 - Woodburning model	0.09
Elise 540 - Multi-fuel model*	0.09
Elise 680 - Woodburning model	0.08
Elise 680 - Multi-fuel model*	0.06
Elise 850 - Woodburning model	0.12
EU 2022 CO Limit	0.12



*Multi-fuel model figures quoted burning smokeless fuel

ORGANIC GASEOUS CARBONS

140

120

100

80

60

Elise 540

Wood

Elise 540 Multi-fuel

(Smokeless fuel)



Additional Information

PHOTOGRAPHY AND INSTALLATION

Owing to variations in studio lighting and printing inks, the finishes/colours of fires illustrated in this brochure may differ slightly from actual models. Before purchasing, please ask your retailer to show you finish/colour samples.

All of the flame pictures shown in this brochure are taken from real fires. Please note however that flame pictures will vary depending on the exact fuel used, flue conditions and surrounding geographical features. Given that building regulations are subject to constant change, some of the photography in this brochure may not comply with the requirements of the latest building regulations and you should always check your proposed installation arrangement with your HETAS trained installer before proceeding.

When designing your own installation, please also observe the minimum distance to combustible materials as stated in the installation instructions.

Stovax pursue a policy of continuous product improvement, therefore, whilst our products are correct at the time of the photography, we reserve the right to make alterations and amendments. Exact product details should be discussed with your retailer at the time of purchase.

The 'Nominal' heat output is to be used for calculating the ventilation provision as required by ADJ Building Regulations and for calculating its suitability for heating the size of room it will be fitted into. The heat output 'Range' is to be used as a guide only as the maximum and minimum performance will depend on local conditions such as flue pull, fuel quality and the way in which the product is used.

EXTENDED WARRANTY

When you choose a Stovax Elise cassette fire, quality and technology are assured. Accordingly, your Stovax Expert Retailer will provide you with a two year warranty for your new cassette fire. This can then be extended to a five year warranty, provided it is registered with Stovax. Please note, these warranties exclude certain consumable parts. Fires purchased outside of Stovax's Expert Retailer Network will carry a standard one year non-extendable warranty. Full warranty terms & conditions are available to view at www.stovax.com

IMPORTANT SAFETY INFORMATION

Please note that all parts of these fires, particularly the glass panel in the door, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a firequard complying with BS 8423:2002 is used in the presence of young children, the elderly or infirm.

PROFESSIONAL XQ[™] CHIMNEY SYSTEMS

Stovax also offer a comprehensive range of stove & fireplace chimney systems, the Stovax Professional XQ[™] collection. Crafted from 304L grade stainless steel for a durable outer finish, the fully sealed components offer water tight protection for the insulation within. With innovative decorative options, the ability to specify a colour for your system and with a host of technical advancements such as their




Twist-Lock system, the Professional XQ[™] range provides an attractive, versatile and reliable solution for your flue system. Furthermore, the Professional XQ™ range carries a 10 year conditional warranty offering complete peace of mind. For further information, please speak to your retailer or visit www.stovax.com/chimneysystems.



















Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, England EX2 7LF

Trade Sales Tel: 01392 474000 Export Sales Tel: +44 1392 261990 Other depts Tel: 01392 474011

Fax: 01392 219932 Email: info@stovax.com www.stovax.com

A member of the Stovax Group

Stovax gratefully acknowledges the assistance of the following companies with photographic settings:

John Lewis - www.johnlewis.com • Original Style - www.originalstyle.com • Debenhams - www.debenhams.co.uk • Carpet Right - www.carpetright.co.uk Furniture Village - www.furniturevillage.com • Habitat - www.habitat.co.uk • House of Fraser - www.houseoffraser.co.uk • Next - www.next.co.uk Orange Tree - www.theorangetree.co.uk • Fagins Antiques - www.faginsantiques.com • Just Shutters - www.justshutters.co.uk • Amtico - www.amtico.com The Prop Factory - www.propfactory.co.uk • Laura Ashley - www.lauraashley.com • Toby's Reclamation - www.tobysreclamation.com Homesense - www.homesense.com • Ikea - www.ikea.com • Amara Living - www.amara.com • Cox & Cox - www.coxandcox.co.uk

© All material copyright Stovax Limited 2015 E&OE Paper sourced from sustainable forests and printed using vegetable based inks

Brochure ref: ELISE0915



To view and download our complete

range of brochures, simply scan this

Your Stovax stockist:

£2.00

code or visit www.stovax.com

